

TABLES SECTION

Table 4.1.1: Population Distribution by Sex, 1991 and 2001

	1991					
	Males		Females		Total	
	Number	Percent	Number	Percent	Number	Percent
Graz	110,568	46.50%	127,242	53.50%	237,81	100.00%
Rest of Styria	462,564	48.80%	484,346	51.20%	946,91	100.00%
Styria total	573,132	48.40%	611,588	51.60%	1,184,720	100.00%
	2001					
	Males		Females		Total	
	Number	Percent	Number	Percent	Number	Percent
Graz	106,228	47.00%	120,016	53.00%	226,244	100.00%
Rest of Styria	468,204	48.90%	488,855	51.10%	957,059	100.00%
Styria total	574,432	48.50%	608,871	51.50%	1,183,303	100.00%

Source: Statistik Austria. Volkszählungsergebnisse 1991 und 2001.
Processing: Landesstatistik Steiermark.

Table 4.1.2: Population Distribution by Sex and Age Group, 1991 and 2001

Age Group	1991			2001		
	Males	Females	Total	Males	Females	Total
<15	18.6%	16.6%	17.5%	17.1%	15.3%	16.2%
15 to 24	16.2%	14.2%	15.1%	12.8%	11.5%	12.2%
25 to 34	18.0%	15.8%	16.8%	15.6%	14.0%	14.8%
35 to 44	13.7%	12.6%	13.1%	17.2%	15.6%	16.4%
45 to 54	12.1%	11.6%	11.8%	13.1%	12.5%	12.7%
55 to 64	10.2%	10.5%	10.4%	11.1%	11.2%	11.1%
65 to 74	6.8%	10.4%	8.7%	8.1%	9.6%	8.9%
75 to 84	3.7%	6.7%	5.3%	4.1%	7.7%	5.9%
>85	0.7%	1.7%	1.2%	1.0%	2.5%	1.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Source: Statistik Austria. Volkszählungsergebnisse 1991 und 2001.
Processing: Landesstatistik Steiermark.

Table 4.1.3: Feminization Rate (Females per 100 Males) by Age Group, 1991 and 2001

Age Group	Females per 100 Males		1991			2001		
	1991	2001	Males	Females	Total	Males	Females	Total
<15	95	95	106,517	101,222	207,739	98,386	93,329	191,715
15-24	94	95	92,612	86,596	179,208	73,609	70,224	143,833
25-34	94	95	102,896	96,406	199,302	89,581	85,461	175,042
35-44	98	96	78,570	76,880	155,450	98,742	95,281	194,023
45-54	102	101	69,533	70,728	140,261	75,031	75,826	150,857
55-64	110	108	58,399	64,394	122,793	63,529	68,300	131,829
65-74	162	125	39,157	63,565	102,722	46,699	58,206	104,905
75-84	193	201	21,357	41,200	62,557	23,361	46,981	70,342
>=85	259	278	4,091	10,597	14,688	5,494	15,263	20,757
Total	107	106	573,132	611,588	1,184,720	574,432	608,871	1,183,303

Source: Statistik Austria. Volkszählungsergebnisse 1991 und 2001.
Processing: Landesstatistik Steiermark.

Table 4.2.1: Deaths per 1,000 Inhabitants in Styria by Sex, 1991-2002

Year	Deaths			Mortality rate (= Deaths per 1,000 Inhabitants)		
	Total	Males	Females	Total	Males	Females
1991	12,623	6,083	6,540	10.75	10.74	10.75
1992	12,490	5,844	6,646	10.58	10.24	10.88
1993	12,429	5,984	6,445	10.48	10.44	10.53
1994	12,033	5,872	6,161	10.14	10.23	10.07
1995	12,057	5,773	6,284	10.17	10.05	10.27
1996	12,066	5,821	6,245	10.18	10.14	10.22
1997	12,111	5,863	6,248	10.23	10.21	10.24
1998	11,820	5,586	6,234	9.99	9.73	10.22
1999	11,837	5,661	6,176	10.00	9.87	10.14
2000	11,599	5,498	6,101	9.81	9.58	10.02
2001	11,366	5,406	5,960	9.61	9.42	9.79
2002*	11,507	5,471	6,036	9.72	9.52	9.92

Source: Statistik Austria. Demographische Indikatoren 1961-2002 für Steiermark.
Processing: Landesstatistik Steiermark.
*2002 preliminary population figure

Table 4.2.2: Population Growth by Sex, 1991-2002

Year	Net Birth Rate (=Birth Rate minus Mortality Rate)			Birth Rate			Mortality Rate		
	Total	Males	Females	Total	Males	Females	Total	Males	Females
1991	0.96	1.70	0.27	11.71	12.44	11.02	10.75	10.74	10.75
1992	1.02	2.33	-0.19	11.6	12.57	10.69	10.58	10.24	10.88
1993	0.79	1.59	0.03	11.27	12.03	10.56	10.48	10.44	10.53
1994	0.77	1.27	0.29	10.91	11.5	10.36	10.14	10.23	10.07
1995	0.14	1.08	-0.73	10.31	11.13	9.54	10.17	10.05	10.27
1996	0.3	1.07	-0.42	10.48	11.21	9.8	10.18	10.14	10.22
1997	-0.33	0.18	-0.8	9.9	10.39	9.44	10.23	10.21	10.24
1998	-0.56	0.12	-1.17	9.43	9.85	9.05	9.99	9.73	10.22
1999	-0.9	-0.19	-1.59	9.1	9.68	8.55	10	9.87	10.14
2000	-0.78	-0.1	-1.43	9.03	9.48	8.59	9.81	9.58	10.02
2001	-1.14	-0.45	-1.8	8.47	8.97	7.99	9.61	9.42	9.79
2002*	-0.88	-0.14	-1.59	8.84	9.38	8.33	9.72	9.52	9.92

Source: Statistik Austria. Demographische Indikatoren 1961-2002 für Steiermark.

Processing: Landesstatistik Steiermark.

*2002 preliminary population figure

Table 4.3.1: Births in Styria by Sex, 1991-2002

Year	Live Births			Birth Rate (= Born alive per 1.000 Inhabitants)		
	Total	Males	Females	Total	Males	Females
1991	13,750	7,045	6,705	11.71	12.44	11.02
1992	13,702	7,172	6,530	11.60	12.57	10.69
1993	13,361	6,897	6,464	11.27	12.03	10.56
1994	12,945	6,603	6,342	10.91	11.50	10.36
1995	12,226	6,391	5,835	10.31	11.13	9.54
1996	12,424	6,436	5,988	10.48	11.21	9.80
1997	11,721	5,962	5,759	9.90	10.39	9.44
1998	11,168	5,652	5,516	9.43	9.85	9.05
1999	10,765	5,553	5,212	9.10	9.68	8.55
2000	10,675	5,442	5,233	9.03	9.48	8.59
2001	10,014	5,148	4,866	8.47	8.97	7.99
2002*	10,462	5,392	5,070	8.84	9.38	8.33

Source: Statistik Austria. Demographische Indikatoren 1961-2002 für Steiermark.

Processing: Landesstatistik Steiermark.

*2002 preliminary population figure

Table 4.3.2: General Fertility Rate by Educational Level 1991-2001

Educational Level	Fertility Rate	
	1991	2001
University	71.37	45.24
Secondary School (university preparatory)	43.93	37.93
Technical, vocational school	51.89	33.05
Apprenticeship	74.74	57.17
Compulsory School	34.79	23.55
Total	52.91	39.9

Source:

Statistik Austria. Volkszählungsergebnisse 1991 und 2001, Natürliche Bevölkerungsbewegung – Arbeits-tabellen Steiermark 1991 und 2001.
Processing: Landesstatistik Steiermark.

Table 4.3.3: Average Number of Children per Women, 1991-2002

Year	Total Fertility Rate
1991	1.47
1992	1.46
1993	1.44
1994	1.41
1995	1.35
1996	1.40
1997	1.35
1998	1.31
1999	1.29
2000	1.30
2001	1.23
2002*	1.30

Source: Statistik Austria. Demographische Indikatoren 1961-2002 für Steiermark.
Processing: Landesstatistik Steiermark.
*preliminary figure

Table 4.3.4: Total Fertility Rate (Average Number of Children per Woman), by Residence in Graz or the Rest of Styria, 1998-2002

Year	Total Fertility Rate		
	Styria Total	Graz	Rest of Styria
1998	1.31	1.26	1.32
1999	1.29	1.29	1.29
2000	1.30	1.29	1.31
2001	1.23	1.21	1.25
2002	1.30	1.29	1.31

Source: Statistik Austria. Natürliche Bevölkerungsbewegung Steiermark 1991 und 2001
Processing: Landesstatistik Steiermark

Table 4.4.1: Marriage Rate (Number of Marriages per 1,000 Inhabitants) by Sex, 1991-2001

Year	Marriage Rate		
	Total	Males	Females
1991	5.10	10.60	9.90
1992	5.30	10.90	10.20
1993	5.10	10.50	9.80
1994	5.10	10.50	9.80
1995	5.10	10.60	9.90
1996	5.20	10.70	10.00
1997	5.10	10.60	10.00
1998	4.70	9.70	9.10
1999	4.70	9.60	9.00
2000	4.60	9.50	9.00
2001	4.10	8.40	7.90
2002	4.20	8.80	8.30

Source: Statistik Austria.
Processing: Landesstatistik Steiermark

Table 4.4.2: Average Age at First Marriage by Sex, 1991-2002

Year	Females	Males
1991	24.60	27.00
1992	25.00	27.30
1993	25.20	27.70
1994	25.60	27.90
1995	26.00	28.30
1996	26.30	28.70
1997	26.70	29.00
1998	26.80	29.30
1999	27.30	29.80
2000	27.40	30.00
2001	27.60	30.30
2002	27.70	30.20

Source: Statistik Austria.

Processing: Landesstatistik Steiermark

Table 4.4.3: Divorce Rate (Number of Divorces per 1,000 Inhabitants) by Sex, 1991-2002

Year	Divorce Rate		
	Total	Males	Females
1991	1.70	3.60	3.30
1992	1.80	3.70	3.40
1993	1.80	3.80	3.50
1994	1.80	3.80	3.60
1995	2.00	4.10	3.80
1996	2.10	4.30	4.10
1997	2.10	4.30	4.10
1998	2.00	4.20	4.00
1999	2.10	4.30	4.10
2000	2.20	4.50	4.20
2001	2.30	4.70	4.40
2002	2.30	4.70	4.50

Source: Statistik Austria.

Processing: Landesstatistik Steiermark

Table 4.4.4: Proportion of Family Types among the Total Number of Families, 1991

1991												
Family Type	Total Families		Number of Children in the Family									
			None		One		Two		Three		Four or More	
	n	%	n	%	n	%	n	%	n	%	n	%
Married Couple	250,394	77.30%	85,286	88.00%	69,179	88.00%	66,101	82.50%	21,482	85.80%	8,346	86.80%
Cohabiting Couple	20,309	6.30%	11,665	12.00%	5,599	12.00%	2,187	2.70%	612	2.40%	246	2.60%
Single Father	7,173	2.20%	0	0.00%	4,829	0.00%	1,698	2.10%	480	1.90%	166	1.70%
Single Mother	45,94	14.20%	0	0.00%	32,453	0.00%	10,177	12.70%	2,452	9.80%	858	8.90%
Total	323,816	100.00%	96,951	100.00%	112,06	100.00%	80,163	100.00%	25,026	100.00%	9,616	100.00%
Family Type	Total Families		Number of Children under 15									
			None		One		Two		Three		Four or More	
	n	%	n	%	n	%	n	%	n	%	n	%
Married couple	250,394	77.30%	151,532	78.40%	48,078	67.30%	39,388	85.20%	9,173	88.20%	2,223	89.10%
Cohabiting Couple	20,309	6.30%	13,857	7.20%	4,606	6.40%	1,446	3.10%	311	3.00%	89	3.60%
Single Father	7,173	2.20%	4,798	2.50%	1,606	2.20%	619	1.30%	131	1.30%	19	0.80%
Single Mother	45,94	14.20%	23,05	11.90%	17,181	24.00%	4,753	10.30%	791	7.60%	165	6.60%
Total	323,816	100.00%	193,237	100.00%	71,471	100.00%	46,206	100.00%	10,406	100.00%	2,496	100.00%

Table 4.4.4/Continuation: Proportion of Family Types among the Total Number of Families, 2001

2001												
Family Type	Total Families		Number of Children in the Family									
			None		One		Two		Three		Four or more	
	n	%	n	%	n	%	n	%	n	%	n	%
Married Couple	241,162	73.00%	93,487	83.90%	62,79	56.20%	62,507	77.80%	17,433	82.80%	4,945	83.70%
Cohabiting Couple	36,595	11.10%	17,96	16.10%	11,454	10.20%	5,771	7.20%	1,121	5.30%	289	4.90%
Single Father	7,131	2.20%	0	0.00%	5,293	4.70%	1,481	1.80%	279	1.30%	78	1.30%
Single Mother	45,572	13.80%	0	0.00%	32,220	28.80%	10,547	13.10%	2,209	10.50%	596	10.10%
Total	330,460	100.00%	111,447	100.00%	111,757	100.00%	80,306	100.00%	21,042	100.00%	5,908	100.00%

2001												
Family Type	Total Families		Number of Children under 15									
			None		One		Two		Three		Four or more	
	n	%	n	%	n	%	n	%	n	%	n	%
Married Couple	241,16	73.00%	158,43	75.80%	39,945	59.90%	33,836	77.20%	7,392	82.30%	1,564	82.50%
Cohabiting Couple	36,595	11.10%	21,003	10.00%	10,187	15.30%	4,565	10.40%	702	7.80%	138	7.30%
Single Father	7,131	2.20%	5,354	2.60%	1,306	2.00%	392	0.90%	67	0.70%	12	0.60%
Single Mother	45,572	13.80%	24,308	11.60%	15,226	22.80%	5,034	11.50%	823	9.20%	181	9.60%
Total	330,460	100.00%	209,090	100.0%	66,664	100.00%	43,827	100.00%	8,984	100.00%	1,895	100.00%

Source: Statistik Austria.

Processing: Landesstatistik Steiermark

Table 4.4.5: Distribution of the Number of Children by Family Type, 2001

Family Type	Total Families	Number of Children in the Family						Total
		None	One	Two	Three	Four or more		
Married Couple	73.00%	38.80%	26.00%	25.90%	7.20%	2.10%	100.00%	
Cohabiting Couple	11.10%	49.10%	31.30%	15.80%	3.10%	0.80%	100.00%	
Single Father	2.20%	0.00%	74.20%	20.80%	3.90%	1.10%	100.00%	
Single Mother	13.80%	0.00%	70.70%	23.10%	4.80%	1.30%	100.00%	
Total	100.00%	33.70%	33.80%	24.30%	6.40%	1.80%	100.00%	

Family Type	Total Families	Number of Children under 15						Total
		None	One	Two	Three	Four or More		
Married Couple	73.00%	65.70%	16.60%	14.00%	3.10%	0.60%	100.00%	
Cohabiting Couple	11.10%	57.40%	27.80%	12.50%	1.90%	0.40%	100.00%	
Single Father	2.20%	75.10%	18.30%	5.50%	0.90%	0.20%	100.00%	
Single Mother	13.80%	53.30%	33.40%	11.00%	1.80%	0.40%	100.00%	
Total	100.00%	63.30%	20.20%	13.30%	2.70%	0.60%	100.00%	

Source: Statistik Austria.

Processing: Landesstatistik Steiermark

Table 4.5.1: Number and Distribution of Child Care Centres by Type and Sponsor, 2002/2003

				Public			Private				
	Total	Public	Private	Federal	State	Communi- nity or City	Bus- iness	Catholic Confrat- urnity	Protes- tant Confrat- urnity	Private Indi- vidual	Other
Styria.: Day Care Centres	72	30	42	1	-	29	2	-	-	6	-
Percent	100.00%	41.67%	58.33%	1.39%	-	40.28%	2.78%	-	-	8.33%	-
Vs. Austria	707	327	380	4	2	321	15	34	2	55	21
Percent	100.00%	46.25%	53.75%	0.57%	0.28%	45.40%	2.12%	4.81%	0.28%	7.78%	2.97%
Styria: Kinder- gartens	790	535	255	7	4	524	5	93	3	12	-
Percent	100.00%	67.72%	32.28%	0.89%	0.51%	66.33%	0.63%	11.77%	0.38%	1.52%	-
Vs. Austria	4,657	3,445	1,212	21	14	3,41	18	609	23	100	15
Percent	100.00%	73.97%	26.03%	0.45%	0.30%	73.22%	0.39%	13.08%	0.49%	2.15%	0.32%
Styria: After- school Care	70	50	20	2	1	47	-	4	-	-	-
Percent	100.00%	71.43%	28.57%	2.86%	1.43%	67.14%	-	5.71%	-	-	-
Vs. Austria	944	537	407	8	4	525	4	114	6	28	13
Percent	100.00%	56.89%	43.11%	0.85%	0.42%	55.61%	0.42%	12.08%	0.64%	2.97%	1.38%
Styria: Mixed-age Child Care Facilities	26	8	18	-	-	8	-	-	-	-	-
Percent	100.00%	30.77%	69.23%	-	-	30.77%	-	-	-	-	-
Vs. Austria	250	81	169	1	3	77	6	10	-	15	5
Percent	100.00%	32.40%	67.60%	0.40%	1.20%	30.80%	2.40%	4.00%	-	6.00%	2.00%
Styria: Total Child Care Facilities	958	623	335	10	5	608	7	97	3	18	-
Percent	100.00%	65.03%	34.97%	1.04%	0.52%	63.47%	0.73%	10.13%	0.31%	1.88%	-
Vs. Austria	6,56	4,39	2,17	34	23	4,333	43	767	31	198	54
Percent	100.00%	66.92%	33.08%	0.52%	0.35%	66.05%	0.66%	11.69%	0.47%	3.02%	0.82%

Source: Statistik Austria, *Krippen, Kindergärten und Horte (Kindertagesheime)*, 2002/2003, pp. 113-117.

Processing: By the author

Table 4.5.2: Number and Distribution of Child Care Institutions by Period of Operation in Styria and in Austria, 2002

	Total	Open Year Round			Open Seasonally			Open on ...days per week					
		Full - time without a break	Fulltime with a break	Half- days	Fulltime without a break	Fulltime with a break	Half- days	1	2	3	4	5	6+7
Styria: Total Daycare Centres	72	36	1	14	16	-	5	-	-	-	-	72	
Percent		50.00%	1.39%	19.44%	22.22%	-	6.94%	-	-	-	-	100.00%	
Vs. Austria	707	654	5	27	16	-	5	-	-	-	-	703	4
Per cent		92.50%	0.71%	3.82%	2.26%	-	0.71%	-	-	-	-	99.43%	0.57%
Styria: Public Daycare Centres	30	18	1	6	3	-	2	-	-	-	-	30	
Per cent		60.00%	3.33%	20.00%	10.00%	-	6.67%	-	-	-	-	100.00%	0.00%
Vs. Austria	327	308	3	11	3	-	2	-	-	-	-	327	
Per cent		94.19%	0.92%	3.36%	0.92%	-	0.61%	-	-	-	-	100.00%	0.00%
Styria: Total Kindergartens	790	182	17	486	73	8	24	-	-	-	-	790	
Percent		23.04%	2.15%	61.52%	9.24%	1.01%	3.04%	-	-	-	-	100.00%	0.00%
Vs. Austria	4,657	2,656	870	1,012	85	8	26	-	-	1	3	4,644	9
Percent		57.03%	18.68%	21.73%	1.83%	0.17%	0.56%	-	-	0.02%	0.06%	99.72%	0.19%
Styria: Public Kindergartens	535	105	9	379	25	2	15	-	-	-	-	535	
Percent		19.63%	1.68%	70.84%	4.67%	0.37%	2.80%	-	-	-	-	100.00%	0.00%
Vs. Austria	3445	1802	799	791	34	2	17	-	-	1	3	3437	4
Percent		52.31%	23.19%	22.96%	0.99%	0.06%	0.49%	-	-	0.03%	0.09%	99.77%	0.12%
Styria: After-school care - Total	70	39	-	19	12	-	-	-	-	-	-	70	
Percent		55.71%	-	27.14%	17.14%	-	-	-	-	-	-	100.00%	0.00%
Vs. Austria	944	728	6	192	18	-	-	-	-	-	4	940	
Percent		77.12%	0.64%	20.34%	1.91%	-	-	-	-	-	0.42%	99.58%	0.00%
Styria: Public After-school Care	50	32	-	10	8	-	-	-	-	-	-	50	-
Percent		64.00%	0.00%	20.00%	16.00%	-	-	-	-	-	-	100.00%	-
Vs. Austria	537	495	4	27	11	-	-	-	-	-	-	537	-
Percent		92.18%	0.74%	5.03%	2.05%	-	-	-	-	-	-	100.00%	-
Styria: Total Mixed-age Childcare Institutions -	26	15	-	-	11	-	-	-	-	-	-	26	-
Percent		57.69%	-	-	42.31%	-	-	-	-	-	-	100.00%	-
Vs. Austria	250	163	4	72	11	-	-	-	-	-	-	249	1
Percent		65.20%	1.60%	28.80%	4.40%	-	-	-	-	-	-	99.60%	0.40%

Table 4.5.2/Continuation: Number and Distribution of Child Care Institutions by Period of Operation in Styria and in Austria, 2002

	Total	Open Year Round			Open Seasonally			Open on ...days per week					
		Full -time without a break	Fulltime with a break	Half-days	Fulltime without a break	Fulltime with a break	Half-days	1	2	3	4	5	6+7
Styria: Public Mixed-age Childcare Institutions	8	5	-	-	3	-	-	-	-	-	-	8	-
Percent		62.50%	-	-		-	-	-	-	-	-	-	-
Vs. Austria	81	45	2	31	3	-	-	-	-	-	-	81	-
Percent		55.56%	2.47%	38.27%	3.70%	-	-	-	-	-	-	100.00%	-
Styria: Total Childcare Facilities	958	272	18	519	112	8	29	-	-	-	-	958	-
Percent		28.39%	1.88%	54.18%	11.69%	0.84%	3.03%	-	-	-	-	100.00%	-
Vs. Austria	6,56	4,202	885	1,304	130	8	31	-	-	1	7	6,538	14
Percent		64.05%	13.49%	19.88%	1.98%	0.12%	0.47%	-	-	0.02%	0.11%	99.66%	0.21%
Styria: Total Public Childcare Facilities	623	260	10	395	39	2	17	-	-	-	-	623	-
Percent		25.68%	1.61%	63.40%	6.26%	0.32%	2.73%	-	-	-	-	100.00%	-
Vs. Austria	4,39	2,65	808	860	51	2	19	-	-	1	3	4,382	4
Percent		60.36%	18.41%	19.59%	1.16%	0.05%	0.43%	-	-	0.02%	0.07%	99.82%	0.09%

Source: Statistik Austria, Krippen, Kindergärten und Horte (Kindertagesheime), 2002/2003, p. 115ff.

Processing: By the author

Table 5.1.1: Population Distribution by Highest Educational Level and Sex. 1991 and 2001

	Sex	University	Secondary School (University Preparatory)	Technical, vocational school	Apprenticeship	Compulsory school	Total
1991	Females	3.90%	7.50%	13.50%	22.60%	52.60%	100.00%
	Males	5.40%	9.40%	6.70%	46.10%	32.40%	100.00%
2001	Females	6.80%	9.00%	15.90%	24.30%	44.10%	100.00%
	Males	7.50%	10.40%	6.50%	49.30%	26.30%	100.00%

Source: Statistik Austria.

Processing: Landesstatistik Steiermark

Table 5.1.2: Distribution of Females by Highest Educational Level and Age, 2001

Age Group	University	Secondary School (university preparatory)	Technical, Vocational School	Apprenticeship	Compulsory School	Total
15-24	1.80%	20.80%	12.10%	16.60%	48.70%	100.00%
25-34	12.20%	16.20%	19.40%	32.90%	19.30%	100.00%
35-44	12.50%	8.00%	21.40%	33.30%	24.80%	100.00%
45-54	9.00%	4.20%	19.30%	33.10%	34.40%	100.00%
55-64	3.60%	4.00%	16.40%	21.90%	54.00%	100.00%
65-74	1.70%	3.50%	9.40%	13.30%	72.10%	100.00%
75-84	1.80%	3.50%	9.30%	9.90%	75.40%	100.00%
>=85	1.20%	2.80%	6.30%	8.10%	81.60%	100.00%
Total	6.80%	9.00%	15.90%	24.30%	44.10%	100.00%

Source: Statistik Austria.

Processing: Landesstatistik Steiermark

Table 5.1.3: Females per 1,000 Males at Different Educational Levels by Age Group, 1991 and 2001

Age Group	Total		University		Secondary School (university preparatory)		Technical, vocational school		Apprenticeship		Compulsory school	
	1991	2001	1991	2001	1991	2001	1991	2001	1991	2001	1991	2001
15-24	935	954	2,199	2,691	1,005	1,234	2,157	2,406	598	510	1,034	980
25-34	937	954	1,233	1,221	797	927	2,359	2,656	564	565	1,648	1,637
35-44	978	965	848	1,170	694	751	2,114	2,824	590	538	1,751	1,927
45-54	1,017	1,011	388	916	781	628	2,166	2,645	493	576	1,716	1,952
55-64	1,103	1,075	359	502	913	752	1,693	2,664	368	487	1,839	1,842
65-74	1,623	1,246	429	456	1,027	956	2,570	2,084	470	401	2,552	2,048
75-84	1,929	2,011	319	596	1,098	1,165	2,322	3,553	546	586	2,958	3,134
>=85	2,590	2,778	355	496	1,239	1,563	3,113	3,843	669	756	3,834	4,207
Total	1,094	1,083	789	982	874	932	2,189	2,663	535	533	1,777	1,812

Source: Statistik Austria.

Processing: Landesstatistik Steiermark

Table 5.2.1: Labour Force Participation (Proportion of the Employed as a Percentage of the Total Population) by Age Group, 2001

Age Group	Males	Females	Total
15-24	67.10%	56.40%	61.90%
25-34	94.30%	82.50%	88.60%
35-44	96.90%	80.00%	88.60%
45-54	90.90%	67.90%	79.30%
55-64	32.70%	13.50%	22.70%
65-74	2.60%	1.40%	1.90%
75-84	0.80%	0.30%	0.50%
>=85	-	-	-
Total	55.70%	40.70%	48.00%

Source: Statistik Austria.

Processing: Landesstatistik Steiermark

Table 5.2.2: Female Proportion of Employees by Age Group and Educational Level, 1991 and 2001

Educational Level	Age Group								
	15-24	25-34	35-44	45-54	55-64	65-74	75-84	>=85	Total
University									
2001	73.90%	54.10%	52.10%	45.50%	22.60%	10.40%	9.80%	14.30%	49.10%
1991	77.00%	54.60%	43.40%	24.00%	14.10%	9.20%	8.60%	-	43.40%
Secondary School (university preparatory)									
2001	52.70%	47.30%	39.30%	33.00%	24.40%	32.60%	34.20%	50.00%	43.70%
1991	54.00%	42.80%	34.50%	34.60%	24.80%	28.40%	28.60%	-	41.70%
Technical, Vocational School									
2001	70.70%	70.30%	70.90%	68.00%	55.00%	55.00%	67.40%	-	69.30%
1991	67.40%	65.30%	61.10%	58.90%	42.70%	69.90%	92.30%	-	62.70%
Apprenticeship									
2001	33.10%	32.60%	30.40%	30.10%	18.10%	23.70%	38.80%	60.00%	30.70%
1991	35.70%	27.80%	27.50%	23.80%	14.10%	33.50%	66.70%	0.00%	28.30%
Compulsory School									
2001	42.30%	56.70%	60.00%	57.20%	46.80%	60.40%	56.90%	72.20%	53.20%
1991	47.80%	51.50%	51.00%	47.10%	42.50%	67.20%	81.10%	-	48.60%
Total									
2001	44.50%	45.50%	44.30%	43.00%	30.70%	40.10%	41.50%	56.30%	43.70%
1991	45.60%	40.90%	39.40%	37.00%	30.10%	45.90%	67.20%	0.00%	40.40%

Source: Statistik Austria.

Processing: Landesstatistik Steiermark

Table 5.2.3: Numbers, Percentage, and "Feminisation Ratio" in the Health Professions in Styria and Austria, 2001

	Styria			Austria		
	Males	Females	Total	Males	Females	Total
Salaried Physicians	3, 142	1,819	4,96 1	22,247	13,343	35,590
Percent	63.33%	36.67%	100.00%	62.51%	37.49%	100.00%
Females per 100 Males	–	–	57.89	–	–	59.98
Physicians in Private Practice	1,698	572	2,270	12,903	5,019	17,922
Percent	74.80%	25.20%	100.00%	72.00%	28.00%	100.00%
Females per 100 Males	–	–	33.69	–	–	38.9
Nurses	467	5,652	6,119	5,646	41,023	46,669
Percent	7.63%	92.37%	100.00%	12.10%	87.90%	100.00%
Number of Females per 100 Males	–	–	1,210.28	–	–	726.59
Nurse's Aides	593	1953	2546	2474	880 7	1128 1
Percent	23.29%	76.71%	100.00%	21.93%	78.07%	100.00%
Females per 100 Males	–	–	329.34	–	–	355.98
Medical Technicians	160	1488	1648	13 18	9718	11 036
Percent	9.71%	90.29%	100.00%	11.94%	88.06%	100.00%
Females per 100 Males	–	–	930	–	–	737.33
Orderlies	382	388	77 0	2796	2068	4864
Percent	49.61%	50.39%	100.00%	57.48%	42.52%	100.00%
Females per 100 Males	–	–	1 0 1 .57	–	–	73.96
Total	6442	11872	183 14	47384	79978	127362
Percent	35.18%	64.82%	100.00%	37.20%	62.80%	100.00%
Females per 100 Males	–	–	184.29	–	–	168.79

Source: Statistik Austria, Jahrbuch des Gesundheitsstatistik 2001, Tabelle 4.1.5, 4.1.6, 4.3.4, p. 338ff.

Processing: By the author

Table 5.3.1: Percentage of Women among the Non-employed by Age Group and Education Level, 1991 and 2001

	Age Groups								Total
	15-24	25-34	35-44	45-54	55-64	65-74	75-84	>=85	
University									
2001	65.50%	66.90%	87.70%	79.50%	49.90%	34.50%	38.60%	33.40%	51.50%
1991	55.10%	60.30%	85.80%	78.20%	46.90%	33.10%	24.50%	26.50%	47.10%
Secondary School (university preparatory)									
2001	57.70%	51.00%	78.60%	76.20%	55.70%	49.40%	54.10%	61.00%	56.60%
1991	47.80%	47.40%	77.00%	85.80%	58.40%	51.40%	52.40%	55.30%	52.10%
Technical, Vocational School									
2001	70.10%	95.60%	97.10%	92.20%	77.90%	67.90%	78.10%	79.40%	79.90%
1991	78.10%	96.40%	97.30%	94.00%	69.90%	72.00%	69.60%	75.70%	80.40%
Apprenticeship									
2001	61.20%	88.20%	84.60%	67.70%	38.00%	28.70%	36.90%	43.00%	45.20%
1991	74.40%	92.30%	91.00%	71.60%	31.10%	31.90%	35.30%	40.10%	51.90%
Compulsory School									
2001	54.80%	81.40%	84.80%	83.20%	67.50%	67.30%	75.90%	80.80%	69.60%
1991	54.30%	85.10%	89.60%	86.20%	69.20%	71.90%	74.70%	79.30%	72.40%
Total									
2001	55.80%	74.60%	86.20%	78.10%	58.00%	55.80%	66.90%	73.60%	63.20%
1991	53.80%	79.30%	90.30%	83.50%	58.50%	62.20%	65.90%	72.20%	66.50%

Source: Statistik Austria.

Processing: Landesstatistik Steiermark

Table 5.4.1: Women's Income as a Percentage of Men's Income, 1996-2001

Year	Percent
1996	66.40%
1997	65.80%
1998	65.10%
1999	64.70%
2000	64.70%
2001	64.20%

Source: Hauptverband der Sozialversicherungsträger, mittleres Bruttoeinkommen der Unselbständigen am Arbeitsort (ohne geringfügig Beschäftigte, Beamte und Lehrlinge)

Table 5.4.2: Percentage of Women among Pensioners in Styria by Age, 1991 and 2001

Age Group	1991	2001
55-64	44.30%	47.86%
65-74	54.74%	48.07%
75-84	62.55%	63.52%
>=85	70.85%	72.62%
>=55	54.41%	53.80%

Source: Statistik Austria.

Processing: Landesstatistik Steiermark

Table 5.4.3: Distribution of People Receiving Long-term Nursing Care Benefits from the Federal State of Styria by Sex and Level of Benefits, 2002

Level	Males		Females		Total	
	Number	Percent	Number	Percent	Number	Percent
0	113	41.39%	160	58.61%	273	100.00%
1	463	25.88%	1,326	74.12%	1,789	100.00%
2	574	25.28%	1,697	74.72%	2,271	100.00%
3	539	29.18%	1,308	70.82%	1,847	100.00%
4	298	28.11%	762	71.89%	1,060	100.00%
5	283	33.37%	565	66.63%	848	100.00%
6	251	44.42%	314	55.58%	565	100.00%
7	146	39.14%	227	60.86%	373	100.00%
Total	2,554	29.18%	6,199	70.82%	8,753	100.00%

Source: Steirischer Sozialbericht 2001/2002, p. 249.

Processing: By the author

Table 5.4.4: Distribution of People Living in Styria Receiving Long-term Nursing Care Benefits from the Austrian Federal Government by Sex and Level of Benefits, 2002

Level	Males		Females		Total	
	Number	Percent	Number	Percent	Number	Percent
1	2,653	28.74%	6,572	71.20%	9,230	100.00%
2	5,238	30.29%	11,053	63.92%	17,291	100.00%
3	2,946	35.74%	5,296	64.26%	8,242	100.00%
4	2,760	35.21%	5,079	64.79%	7,839	100.00%
5	1,289	33.33%	2,578	66.67%	3,867	100.00%
6	498	35.10%	921	64.90%	1,419	100.00%
7	273	33.41%	544	66.59%	817	100.00%
Total	15,657	32.15%	32,043	65.79%	48,705	100.00%

Source: Steirischer Sozialbericht 2001/2002, p. 249.

Processing: By the author

Table 5.5.1: Make-up of the Styrian Legislature by Sex and Party, January 2004

	People's Party (ÖVP)		Socialist Party (SPÖ)		Freedom Party (FPÖ)		Green Party (Grüne)		Total	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Males	24	88.89%	11	57.89%	4	57.14%	1	33.33%	40	71.43%
Females	3	11.11%	8	42.11%	3	42.86%	2	66.67%	16	28.57%
Total	27	100.00%	19	100.00%	7	100.00%	3	100.00%	56	100.00%

Source: Der Landtag. <http://www.politik.steiermark.at>. Accessed January 23, 2004.
Processing: By the author

Table 6.1.1: Remaining Life Expectancy by Sex, 1991-2002

Year	Birth		1 Year		15 Years		45 Years		65 Years	
	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males
1991	79.02	72.44	78.46	71.89	64.67	58.09	35.58	30.20	17.77	14.23
1992	78.94	73.01	78.44	72.49	64.62	58.65	35.54	30.61	17.81	14.62
1993	79.45	72.89	78.79	72.34	64.93	58.60	35.82	30.60	18.22	14.58
1994	80.16	73.09	79.41	72.50	65.55	58.79	36.36	30.76	18.49	14.89
1995	80.23	73.75	79.37	72.92	65.57	59.13	36.42	31.12	18.55	15.06
1996	80.54	73.78	79.88	73.02	66.00	59.16	36.73	31.11	18.78	15.04
1997	80.51	73.80	79.91	73.12	66.02	59.28	36.90	31.27	18.95	15.12
1998	80.92	74.75	80.17	74.04	66.42	60.17	37.13	31.93	19.12	15.44
1999	81.34	74.73	80.61	73.98	66.72	60.16	37.45	31.83	19.30	15.54
2000	81.14	75.04	80.48	74.35	66.70	60.56	37.52	32.28	19.65	15.94
2001	81.84	75.61	81.03	74.93	67.23	61.07	37.99	32.72	19.94	16.18
2002*	81.91	75.84	81.14	75.06	67.27	61.25	38.05	32.91	19.95	16.28

* preliminary value

Source: Statistik Austria. Demografische Indikatoren für die Steiermark.
Processing: Landesstatistik Steiermark

Table 6.1.2: Life Expectancy at Birth in Austria and Europe, 2000

	Males	Females
Austria	75.6	81.47
EU	75.49	81.67

Source: European Health for All Database, updated June 2003.

Table 6.1.3: Number of Life Years Lost before Age 65, 2002

Males	99% Confidence Interval		Females	99% Confidence Interval	
	4,150.19	3,865.44		4,434.94	2,005.89

Source: Statistik Austria, Todesursachestatistik.

Processing: Joanneum Research, Institut für angewandte Statistik und Systemanalyse

Table 6.2.1: Age-Standardised Death Rates from Suicide (ICD 9: E950-E959) per 100,000 Inhabitants, 1998-2002

Year	Standardised Rate per 100,000 Inhabitants					
	Males			Females		
	Rate	99% Confidence Interval		Rate	99% Confidence Interval	
1998	34.33	28.24	40.43	9.32	6.21	12.42
1999	32.85	26.88	38.81	10.05	6.88	13.23
2000	31.65	25.81	37.48	9.57	6.51	12.63
2001	28.02	22.50	33.54	7.21	4.54	9.88
2002	31.76	25.88	37.64	10.07	6.89	13.26
Austria 00*	28.00	n/a		9.00	n/a	
EU 00*	16.00	n/a		5.00	n/a	

Source: Statistik Austria, Todesursachestatistik.

Processing: Joanneum Research, Institut für angewandte Statistik und Systemanalyse

*European Health for All Database, updated June 2003

n/a= not available

Table 6.2.2: Age-Standardised Death Rates from Suicide (ICD 9: E950-E959) per 100,000 Inhabitants by Age Group, 2002

Age Group	Standardised Rate per 100,000 Inhabitants					
	Males			Females		
	Rate	99% Confidence Interval		Rate	99% Confidence Interval	
00-14	0.00	0.00	0.00	1.42	-2.24	5.07
15-24	17.83	4.55	31.11	3.47	-2.86	9.79
25-34	23.93	10.99	36.86	10.45	1.44	19.46
35-44	33.71	20.12	47.31	10.19	2.26	18.12
45-54	54.58	32.01	77.15	20.22	6.27	34.17
55-64	33.43	14.47	52.38	13.87	2.43	25.32
65-74	57.69	31.56	83.83	15.14	4.17	26.11
75-84	43.21	15.35	71.08	5.33	0.11	10.54
>=85	223.24	69.49	376.99	15.63	0.39	30.87

Source: Statistik Austria, Todesursachestatistik.

Processing: Joanneum Research, Institut für angewandte Statistik und Systemanalyse

Table 6.3.1: Age-Standardised Death Rates from Cardiovascular Diseases (ICD 9: VII. 390-459) per 100,000 Inhabitants, 1998-2002

	Standardised Rate per 100,000 Inhabitants			
	Males		Females	
Year	Rate	99% Confidence Interval	Rate	99% Confidence Interval
1998	392.10	371.98 412.22	259.39	247.57 271.21
1999	390.96	371.07 410.85	250.19	238.71 261.66
2000	353.35	334.67 372.04	237.81	226.58 249.05
2001	338.14	319.96 356.32	219.48	208.51 230.44
2002	305.47	288.26 322.67	201.26	191.28 211.24
Austria 01*	360.00	n/a	249.00	n/a
EU 01*	312.00	n/a	200.00	n/a

Source: Statistik Austria, Todesursachestatistik.

Processing: Joanneum Research, Institut für angewandte Statistik und Systemanalyse

*European Health for All Database, updated June 2003

n/a= not available

Table 6.3.2: Age-Standardised Death Rates from Cardiovascular Diseases (ICD 9: VII. 390-459) per 100,000 Inhabitants by Age, 2002

Age Group	Standardised Rate per 100,000 Inhabitants			
	Males		Females	
	Rate	99% Confidence Interval	Rate	99% Confidence Interval
00-14	0.00	0.00 0.00	0.00	0.00 0.00
15-24	1.49	-2.36 5.35	1.72	-2.72 6.17
25-34	3.06	-1.52 7.63	4.45	-1.29 10.19
35-44	28.42	15.84 41.01	10.13	2.25 18.01
45-54	114.74	81.83 147.66	33.99	15.70 52.29
55-64	251.90	202.45 301.36	80.59	53.91 107.27
65-74	684.84	595.66 774.03	294.66	245.85 343.47
75-84	2,116.48	1,923.07 2,309.89	731.91	672.94 790.87
>=85	10,221.27	9,199.13 11,243.40	3,612.43	3,384.70 3,840.15

Source: Statistik Austria, Todesursachestatistik.

Processing: Joanneum Research, Institut für angewandte Statistik und Systemanalyse

Table 6.3.1.1: Age-Standardised Death Rates from Ischemic Heart Diseases (ICD 9: VII. 410-414) per 100,000 Inhabitants, 1998-2002

	Standardised Rate per 100,000 Inhabitants				
	Males			Females	
Year	Rate	99% Confidence Interval		Rate	99% Confidence Interval
1998	164.28	151.21	177.35	84.90	78.06 91.73
1999	168.57	155.48	181.66	81.33	74.67 87.98
2000	152.64	140.34	164.94	74.77	68.35 81.19
2001	145.14	133.23	157.05	71.39	65.25 77.54
2002	141.58	129.87	153.28	67.73	61.80 73.65
Austria 01*	170.00	n/a		92.00	n/a
EU 01*	140.00	n/a		67.00	n/a

Source: Statistik Austria, Todesursachestatistik.

Processing: Joanneum Research, Institut für angewandte Statistik und Systemanalyse

*European Health for All Database, updated June 2003

n/a= not available

Table 6.3.1.2: Age-Standardised Death Rates from Ischemic Heart Diseases (ICD 9: VII. 410-414) per 100,000 Inhabitants by Age, 2002

Age Group	Standardised Rate per 100,000 Inhabitants				
	Males			Females	
	Rate	99% Confidence Interval		Rate	99% Confidence Interval
00-14	0.00	0.00	0.00	0.00	0.00 0.00
15-24	0.00	0.00	0.00	0.00	0.00 0.00
25-34	1.90	-1.56	5.36	0.00	0.00 0.00
35-44	14.10	5.27	22.93	0.96	-1.51 3.43
45-54	69.62	43.94	95.29	13.37	1.87 24.88
55-64	143.95	106.46	181.44	35.51	18.04 52.97
65-74	364.01	298.94	429.09	128.30	95.87 160.74
75-84	987.20	855.34	1,119.06	281.22	244.56 317.88
>=85	3,826.99	3,202.53	4,451.46	989.06	869.46 1,108.67

Source: Statistik Austria, Todesursachestatistik.

Processing: Joanneum Research, Institut für angewandte Statistik und Systemanalyse

Table 6.3.2.1: Age-Standardised Death Rates from Cerebrovascular Illnesses (ICD 9: VII. 430-438) per 100,000 Inhabitants, 1998-2002

	Standardised Rate per 100,000 Inhabitants					
	Males		Females			
Year	Rate	99% Confidence Interval		Rate	99% Confidence Interval	
1998	92.81	83.03	102.60	76.22	69.87	82.57
1999	89.50	80.01	98.98	70.39	64.33	76.44
2000	79.24	70.42	88.07	68.07	62.15	73.99
2001	74.39	65.88	82.89	60.94	54.69	67.18
2002	67.75	59.66	75.84	58.62	53.24	64.00
Austria 00*	74.00	n/a		63.00	n/a	
EU 00*	69.00	n/a		56.00	n/a	

Source: Statistik Austria, Todesursachestatistik.

Processing: Joanneum Research, Institut für angewandte Statistik und Systemanalyse

*European Health for All Database, updated June 2003

n/a= not available

Table 6.3.2.2: Age-Standardised Death Rates from Cerebrovascular Illnesses (ICD 9: VII. 430-438) per 100,000 Inhabitants by Age, 2002

	Standardised Rate per 100,000 Inhabitants					
	Males		Females			
Age Group	Rate	99% Confidence interval		Rate	99% Confidence interval	
00-14	0.00	0.00	0.00	0.00	0.00	0.00
15-24	1.49	-2.36	5.35	0.00	0.00	0.00
25-34	1.16	-1.83	4.15	0.00	0.00	0.00
35-44	8.44	1.55	15.33	6.41	0.16	12.67
45-54	16.77	4.27	29.28	13.18	1.84	24.52
55-64	44.55	23.70	65.41	18.52	6.10	30.93
65-74	126.89	88.54	165.25	83.23	57.22	109.24
75-84	513.12	417.76	608.48	207.05	175.75	238.34
>=85	2,455.66	1,951.71	2,959.60	1,073.90	949.43	1,198.38

Source: Statistik Austria, Todesursachestatistik.

Processing: Joanneum Research, Institut für angewandte Statistik und Systemanalyse

Table 6.4.1: Age-Standardised Death Rates from Respiratory Diseases (ICD 9: VIII. 460-519) per 100,000 Inhabitant, 1998-2002

	Standardised Rate per 100,000 Inhabitants			
	Males		Females	
Year	Rate	99% Confidence Interval	Rate	99% Confidence Interval
1998	42.07	41.41 42.73	16.78	16.46 17.10
1999	47.94	47.24 48.64	16.75	16.45 17.05
2000	39.06	38.44 39.69	17.48	17.17 17.79
2001	40.59	39.96 41.22	19.77	19.42 20.11
2002	45.47	44.80 46.13	17.12	16.82 17.42
Austria 00*	48.00	n/a	24.00	n/a
EU 00*	84.00	n/a	43.00	n/a

Source: Statistik Austria, Todesursachestatistik.

Processing: Joanneum Research, Institut für angewandte Statistik und Systemanalyse

*European Health for All Database, updated June 2003

n/a= not available

Table 6.4.2: Age-Standardised Death Rates from Respiratory Diseases (ICD 9: VIII. 460-519) per 100,000 Inhabitants by Age Group, 2002

Age Group	Standardised Rate per 100,000 Inhabitants			
	Males		Females	
	Rate	99% Confidence Interval	Rate	99% Confidence Interval
00-14	0.00	0.00 0.00	0.20	-0.32 0.72
15-24	0.15	-0.24 0.54	0.00	0.00 0.00
25-34	0.00	0.00 0.00	0.22	-0.18 0.63
35-44	0.17	-0.14 0.48	0.00	0.00 0.00
45-54	1.01	0.02 2.00	0.30	-0.25 0.85
55-64	4.63	2.53 6.72	0.75	-0.05 1.54
65-74	11.39	7.75 15.04	2.77	1.29 4.25
75-84	31.54	24.03 39.04	7.53	5.65 9.42
>=85	145.11	106.16 184.05	24.11	18.15 30.08

Source: Statistik Austria, Todesursachestatistik.

Processing: Joanneum Research, Institut für angewandte Statistik und Systemanalyse

Table 6.5.1: Age-Standardised Death Rates from Diseases of the Digestive Organs (ICD 9: IX. 520-579) per 100,000 Inhabitants, 1998-2002

	Standardised Rate per 100,000 Inhabitants			
	Males		Females	
Year	Rate	99% Confidence Interval	Rate	99% Confidence Interval
1998	47.60	40.44 54.77	21.37	17.24 25.49
1999	42.42	35.67 49.17	16.64	13.12 20.16
2000	49.63	42.38 56.88	20.45	16.50 24.40
2001	48.78	41.57 56.00	20.28	16.40 24.16
2002	44.45	37.63 51.28	22.97	18.96 26.97
Austria 00*	45.00	n/a	23.00	n/a
EU 00*	41.00	n/a	24.00	n/a

Source: Statistik Austria, Todesursachestatistik.

Processing: Joanneum Research, Institut für angewandte Statistik und Systemanalyse

*European Health for All Database, updated June 2003

n/a= not available

Table 6.5.2: Age-Standardised Death Rates from Diseases of the Digestive Organs (ICD 9: IX. 520-579) per 100,000 Inhabitants by Age Group, 2002

Age Group	Standardised Rate per 100,000 Inhabitants			
	Males		Females	
	Rate	99% Confidence Interval	Rate	99% Confidence Interval
00-14	0.00	0.00 0.00	0.00	0.00 0.00
15-24	1.49	-2.36 5.35	0.00	0.00 0.00
25-34	3.27	-1.62 8.15	1.11	-1.76 3.98
35-44	12.25	4.08 20.42	5.57	-0.30 11.45
45-54	61.24	37.40 85.08	19.01	5.40 32.62
55-64	89.12	59.14 119.10	35.65	17.41 53.90
65-74	128.48	88.83 168.14	45.86	26.67 65.06
75-84	182.87	125.74 240.00	70.47	51.94 89.00
>=85	462.43	241.42 683.44	198.71	144.51 252.90

Source: Statistik Austria, Todesursachestatistik.

Processing: Joanneum Research, Institut für angewandte Statistik und Systemanalyse

Table 6.5.3: Age-Standardised Death Rates from Diseases of the Digestive Organs (ICD 9: IX. 520-579) per 100,000 Inhabitants, Comparing Vienna, Styria, Austria, and Europe, 1996-2002

Year	Standardised Rate per 100,000 Inhabitants							
	Europe*		Austria*		Styria		Vienna*	
	Men	Women	Men	Women	Men	Women	Men	Women
1996	43.02	24.57	54.26	24.83	58.07 [^]	26.33 [^]	57.50	28.70
1997	41.87	24.08	49.93	23.26	54.74 [^]	21.12 [^]	50.60	26.30
1998	41.77	23.97	47.10	23.92	47.60	21.37	54.00	28.40
1999	40.69	24.08	44.00	21.48	42.42	16.64	50.10	26.30
2000	40.61	23.72	45.25	22.72	49.63	20.45	47.20	29.90
2001	kA	kA	43.18	21.98	48.78	20.28	44.90	27.60
2002	n/a	n/a	n/a	n/a	44.45	22.97	n/a	n/a

Sources: [^]Gesundheitsinformationssystem Steiermark, [°]Lebenserwartung und Mortalität in Wien. 2003. S. 127, *European Health for All Database, updated June 2003.

Processing: by the author

n/a= not available

Table 6.6.1: Age-Standardised Death Rates from New Cases of Cancer (ICD 9: II, 140-208) per 100,000 Inhabitants, 1998-2002

Year	Standardised Rate per 100,000 Inhabitants				
	Men		Women		
	Rate	99% Confidence Interval	Rate	99% Confidence Interval	
1998	230.49	214.94 246.04	131.44	121.33 141.56	
1999	231.26	215.80 246.71	132.83	122.71 142.94	
2000	231.71	216.37 247.06	139.94	129.51 150.37	
2001	217.09	202.40 231.77	130.22	120.10 140.35	
2002	227.28	212.34 242.23	129.85	119.81 139.89	
Austria 00*	225.59	n/a	141.05	n/a	
EU 00*	247.31	n/a	138.91	n/a	

Source: Statistik Austria, Todesursachestatistik.

Processing: Joanneum Research, Institut für angewandte Statistik und Systemanalyse

*European Health for All Database, updated June 2003

n/a= not available

Table 6.6.2: Age-Standardised Death Rates from New Cases of Malignant Growths (ICD 9: II, 140-208) per 100,000 Inhabitants by Age Group, 1998-2002

Age Group	Standardised Rate per 100,000 Inhabitants			
	Men		Women	
	Rate	99% Confidence Interval	Rate	99% Confidence Interval
00-14	0.00	0.00 0.00	4.83	-2.47 12.14
15-24	4.44	-2.17 11.05	5.21	-2.55 12.96
25-34	6.32	-0.37 13.02	8.44	0.18 16.71
35-44	24.95	13.19 36.70	29.07	15.59 42.54
45-54	122.47	88.57 156.37	123.81	88.95 158.68
55-64	388.57	327.00 450.14	239.78	193.03 286.53
65-74	833.87	734.59 933.15	351.74	297.31 406.17
75-84	1,397.58	1,239.98 1,555.18	377.54	334.42 420.66
>=85	2,981.87	2,424.27 3,539.46	580.49	487.91 673.07

Source: Statistik Austria, Todesursachestatistik.

Processing: Joanneum Research, Institut für angewandte Statistik und Systemanalyse

Table 6.6.1.1: Age-Standardised Death Rates from New Cases of Malignant Growths of the Respiratory Organs (ICD 9: II, 162) per 100,000 Inhabitants, 1998-2002

Year	Standardised Rate per 100,000 Inhabitants			
	Men		Women	
	Rate	99% Confidence Interval	Rate	99% Confidence Interval
1998	58.29	50.40 66.18	12.13	9.00 15.25
1999	53.88	46.35 61.41	12.04	8.80 15.27
2000	50.24	43.05 57.42	18.96	14.89 23.03
2001	46.83	39.99 53.67	14.24	10.74 17.74
2002	50.04	42.99 57.08	15.81	12.18 19.44
Austria 00*	54.24	n/a	16.86	n/a
EU 00*	65.68	n/a	16.24	n/a

Source: Statistik Austria, Todesursachestatistik.

Processing: Joanneum Research, Institut für angewandte Statistik und Systemanalyse

*European Health for All Database, updated June 2003

n/a= not available

Table 6.6.1.2: Age-Standardised Death Rates from New Cases of Malignant Growths of the Respiratory Organs (ICD 9: II, 162) per 100,000 Inhabitants by Age Group, 2002

Age Group	Standardised Rate per 100,000 Inhabitants			
	Men		Women	
	Rate	99% Confidence Interval	Rate	99% Confidence Interval
00-14	0.00	0.00 0.00	0.00	0.00 0.00
15-24	0.00	0.00 0.00	0.00	0.00 0.00
25-34	1.16	-1.83 4.15	1.33	-2.10 4.77
35-44	5.11	-0.27 10.49	0.00	0.00 0.00
45-54	25.82	10.11 41.53	14.88	2.74 27.03
55-64	93.83	63.27 124.39	46.68	26.10 67.26
65-74	225.51	173.68 277.33	45.69	26.29 65.09
75-84	289.08	217.13 361.04	38.98	24.98 52.97
>=85	350.81	158.20 543.42	33.49	11.19 55.79

Source: Statistik Austria, Todesursachestatistik.

Processing: Joanneum Research, Institut für angewandte Statistik und Systemanalyse

Table 6.6.2.1: Age-Standardised Death Rates from New Cases of Malignant Growths of Colon and Rectum (ICD 9: II, 153, 154) per 100,000 Inhabitants, 1998-2002

Year	Standardised Rate per 100,000 Inhabitants			
	Men		Women	
	Rate	99% Confidence Interval	Rate	99% Confidence Interval
1998	26.38	21.13 31.63	17.71	14.22 21.21
1999	28.41	23.02 33.80	15.27	12.04 18.49
2000	33.43	27.61 39.25	15.63	12.34 18.92
2001	29.94	24.46 35.42	13.84	10.65 17.03
2002	29.23	23.89 34.57	15.23	11.90 18.56
Austria 00*	n/a	n/a	n/a	n/a
EU 00*	n/a	n/a	n/a	n/a

Source: Statistik Austria, Todesursachestatistik.

Processing: Joanneum Research, Institut für angewandte Statistik und Systemanalyse

*European Health for All Database, updated June 2003

n/a= not available

Table 6.6.2.2: Age-Standardised Death Rates from New Cases of the Malignant Growths of the Colon and Rectum (Colorectal Cancer) (ICD 9: II, 153, 154) per 100,000 Inhabitants by Age Group, 2002

Age Group	Standardised Rate per 100,000 Inhabitants			
	Men		Women	
	Rate	99% Confidence Interval	Rate	99% Confidence Interval
00-14	0.00	0.00 0.00	0.00	0.00 0.00
15-24	0.00	0.00 0.00	0.00	0.00 0.00
25-34	0.95	-1.50 3.40	0.00	0.00 0.00
35-44	1.63	-1.35 4.60	0.96	-1.51 3.43
45-54	13.98	2.56 25.39	12.06	1.06 23.07
55-64	41.13	21.23 61.02	22.69	7.49 37.89
65-74	115.50	78.80 152.20	42.50	23.70 61.31
75-84	181.05	124.05 238.04	45.85	30.76 60.93
>=85	462.43	241.42 683.44	118.33	76.46 160.20

Source: Statistik Austria, Todesursachestatistik.

Processing: Joanneum Research, Institut für angewandte Statistik und Systemanalyse

Table 6.6.3.1: Age-Standardised Death Rates from New Cases of Malignant Growths of the Cervix (Cervical Cancer) (ICD 9: II, 180) per 100,000 Inhabitants, 1998-2002

Year	Standardised Rate per 100,000 Inhabitants			
	Men		Women	
	Rate	99% Confidence Interval	Rate	99% Confidence Interval
1998	0,00	0,00 0,00	3.30	1.60 4.99
1999	0,00	0,00 0,00	4.91	2.67 7.15
2000	0,00	0,00 0,00	2.45	0.92 3.97
2001	0,00	0,00 0,00	2.43	0.98 3.88
2002	0,00	0,00 0,00	5.05	2.80 7.30
Austria 00*	0,00	0,00 0,00	2.51	n/a
EU 00*	0,00	0,00 0,00	2.55	n/a

Source: Statistik Austria, Todesursachestatistik.

Processing: Joanneum Research, Institut für angewandte Statistik und Systemanalyse

*European Health for All Database, updated June 2003

n/a= not available

Table 6.6.3.2: Age-Standardised Death Rates from New Cases of Malignant Growths of the Cervix (Cervical Cancer) (ICD 9: II, 180) per 100,000 Inhabitants by Age Group, 2002

Age Group	Standardised Rate per 100,000 Inhabitants			
	Men		Women	
	Rate	99% Confidence Interval	Rate	99% Confidence Interval
00-14	0.00	0.00 0.00	0.00	0.00 0.00
15-24	0.00	0.00 0.00	0.00	0.00 0.00
25-34	0.00	0.00 0.00	1.11	-1.76 3.98
35-44	0.00	0.00 0.00	3.78	-1.10 8.65
45-54	0.00	0.00 0.00	18.81	5.35 32.28
55-64	0.00	0.00 0.00	6.73	-1.12 14.58
65-74	0.00	0.00 0.00	4.69	-1.44 10.83
75-84	0.00	0.00 0.00	5.18	0.11 10.26
>=85	0.00	0.00 0.00	11.16	-1.72 24.04

Source: Statistik Austria, Todesursachestatistik.

Processing: Joanneum Research, Institut für angewandte Statistik und Systemanalyse

Table 6.6.4.1: Age-Standardised Death Rates from New Cases of Malignant Growths of the Mammary Gland (Breast Cancer) (ICD 9: II, 174) per 100,000 Inhabitants, 1998-2002

Year	Standardised Rate per 100,000 Inhabitants			
	Men		Women	
	Rate	99% Confidence Interval	Rate	99% Confidence Interval
1998	0.00	0.00 0.00	23.04	18.56 27.53
1999	0.00	0.00 0.00	25.35	20.75 29.95
2000	0.00	0.00 0.00	25.88	21.22 30.54
2001	0.00	0.00 0.00	24.01	19.43 28.58
2002	0.00	0.00 0.00	24.35	19.90 28.79
Austria 00*	0.00	0.00 0.00	27.62	n/a
EU 00*	0.00	0.00 0.00	27.65	n/a

Source: Statistik Austria, Todesursachestatistik.

Processing: Joanneum Research, Institut für angewandte Statistik und Systemanalyse

*European Health for All Database, updated June 2003

n/a= not available

Table 6.6.4.2: Age-Standardised Death Rates from New Cases of Malignant Growths of the Mammary Gland (Breast Cancer) (ICD 9: II, 174) per 100,000 Inhabitants by Age Group, 2002

Age Group	Standardised Rate per 100,000 Inhabitants			
	Men		Women	
	Rate	99% Confidence Interval	Rate	99% Confidence Interval
00-14	0.00	0.00 0.00	0.00	0.00 0.00
15-24	0.00	0.00 0.00	0.00	0.00 0.00
25-34	0.00	0.00 0.00	1.11	-1.76 3.98
35-44	0.00	0.00 0.00	9.35	1.72 16.98
45-54	0.00	0.00 0.00	29.57	12.50 46.63
55-64	0.00	0.00 0.00	47.86	27.05 68.66
65-74	0.00	0.00 0.00	62.88	39.60 86.16
75-84	0.00	0.00 0.00	67.69	49.51 85.87
>=85	0.00	0.00 0.00	75.91	42.36 109.46

Source: Statistik Austria, Todesursachestatistik.

Processing: Joanneum Research, Institut für angewandte Statistik und Systemanalyse

Table 6.7.1: Age-Standardised Death Rates in Styria by Main Causes of Death per 100,000 Inhabitants, 2002

Men			Women		
Rank	Disease Category	Rate	Rank	Disease Category	Rate
1	Cardiovascular Diseases (ICD 9: VII, 390-459)	305.47	1	Cardiovascular Diseases (ICD 9: VII, 390-459)	201.26
2	Malignant Growths (Cancer) (ICD 9: II, 140-208)	227.28	2	Malignant Growths (Cancer) (ICD 9: II, 140-208)	129.85
3	Ischemic Heart Diseases (ICD 9: VII, 410-414)	141.58	3	Ischemic Heart Diseases (ICD 9: VII, 410-414)	67.73
4	Cerebrovascular Heart Diseases (ICD 9: VII, 430-438)	67.75	4	Cerebrovascular Heart Diseases (ICD 9: VII, 430-438)	58.62
5	Malignant Growths of the Respiratory Organs (ICD 9: II, 162)	50.04	5	Malignant Growths of the Mammary Gland (ICD 9: II, 174)	24.35
6	Diseases of the Digestive System (ICD 9: VII, 520-579)	44.45	6	Diseases of the Digestive System (ICD 9: VII, 520-579)	22.97
7	Suicide (ICD 9: E950-E959)	31.76	7	Malignant Growths of the Respiratory Organs (ICD 9: II, 162)	15.81
8	Malignant Growths of the Digestive System (ICD 9: II, 153-154)	29.23	8	Malignant Growths of the Digestive System (ICD 9: II, 153-154) (ICD 9: II, 153-154)	15.23
9			9	Suicide (ICD 9: E950-E959)	10.07
10			10	Malignant Growths of the Cervix (ICD 9: II, 162)	5.05

Source: Statistik Austria, Todesursachestatistik.

Processing: Joanneum Research, Institut für angewandte Statistik und Systemanalyse

Table 6.7.2: Distribution of Causes of Death by Sex in Styria, 2001

Men			Women		
Rank	Percent	Disease Category	Rank	Percent	Disease Category
1	44.97%	Cardiovascular Diseases (ICD 9: VII, 390-459)	1	56.19%	Cardiovascular Diseases (ICD 9: VII, 390-459)
2	27.58%	Malignant Growths (Cancer) (ICD 9: II, 140-208)	2	22.50%	Malignant Growths (Cancer) (ICD 9: II, 140-208)
3	8.55%	Other Diseases	3	10.15%	Other Diseases
4	7.88%	Injuries and Poisonings (ICD 9: E800-E999)	4	4.46%	Injuries and Poisonings (ICD 9: E800-E999)
5	5.81%	Diseases of the Digestive System (ICD 9: VII, 520-579)	5	3.81%	Diseases of the Digestive System (ICD 9: VII, 520-579)
6	5.22%	Diseases of the Respiratory System (ICD 9: I, 460-519)	6	2.89%	Diseases of the Respiratory System (ICD 9: I, 460-519)
Total	100%		Total	100%	

Source: Statistik Austria, Jahrbuch der Gesundheitsstatistik 2001, Table 2.22, p. 112f.
Processing: By the author

Table 7.1.1: Subjective Health Status by Sex, 1999

Sex	Health	Number	Percent	99% Confidence Interval
Men	Excellent	470	19.05%	17.01 21.09
	Very Good	708	28.69%	26.35 31.04
	Good	924	37.45%	34.94 39.96
	Less Good	276	11.18%	9.55 12.82
	Poor	89	3.60%	2.64 4.57
Women	Excellent	395	14.34%	12.62 16.06
	Very Good	700	25.41%	23.28 27.55
	Good	1123	40.77%	38.36 43.19
	Less Good	418	15.17%	13.42 16.94
	Poor	118	4.28%	3.29 5.28

Source: Amt der steiermärkischen Landesregierung, Fachabteilung 8B-Gesundheitswesen, Steirische Gesundheitsbefragung 1999
Processing: Joanneum Research, Institut für angewandte Statistik und Systemanalyse

Table 7.1.2.: Subjective Health Status by Age Group, 1999

Age Group	State of Health	Number	Percent	99% Confidence Interval
15-24	Excellent	288	42.79%	37.88 47.71
	Very Good	265	39.38%	34.52 44.23
	Good	108	16.05%	12.40 19.69
	Less Good	12	1.78%	0.47 3.10
	Poor	0	0.00%	0.00 0.00
25-34	Excellent	221	29.39%	25.11 33.67
	Very Good	304	40.43%	35.82 45.04
	Good	196	26.06%	21.94 30.19
	Less Good	26	3.46%	1.74 5.17
	Poor	5	0.66%	0.00 1.43
35-44	Excellent	205	19.36%	16.23 22.49
	Very Good	396	37.39%	33.56 41.22
	Good	403	38.05%	34.21 41.90
	Less Good	47	4.44%	2.81 6.07
	Poor	8	0.76%	0.07 1.44
45-54	Excellent	96	11.12%	8.37 13.88
	Very Good	233	27.00%	23.11 30.89
	Good	423	49.02%	44.63 53.40
	Less Good	86	9.97%	7.34 12.59
	Poor	25	2.90%	1.43 4.37
55-64	Excellent	33	4.34%	2.44 6.25
	Very Good	119	15.66%	12.26 19.05
	Good	386	50.79%	46.12 55.46
	Less Good	186	24.47%	20.46 28.49
	Poor	36	4.74%	2.75 6.72
65-74	Excellent	16	2.60%	0.95 4.26
	Very Good	64	10.41%	7.23 13.58
	Good	327	53.17%	47.99 58.35
	Less Good	158	25.69%	21.15 30.23
	Poor	50	8.13%	5.29 10.97
75-84	Excellent	3	0.79%	0.00 1.95
	Very Good	22	5.77%	2.70 8.85
	Good	173	45.41%	38.84 51.98
	Less Good	133	34.91%	28.62 41.20
	Poor	50	13.12%	8.67 17.58
≥85	Excellent	0	0.00%	0.00 0.00
	Very Good	3	2.68%	0.00 6.61
	Good	30	26.79%	16.01 37.56
	Less Good	46	41.07%	29.10 53.05
	Poor	33	29.46%	18.37 40.56

Source: Amt der steiermärkischen Landesregierung, Fachabteilung 8B-Gesundheitswesen, Steirische Gesundheitsbefragung 1999

Processing: Joanneum Research, Institut für angewandte Statistik und Systemanalyse

Table 7.2.1: Age-Standardised Rates of New Malignant Growths (ICD 9: II, 140-208) per 100,000 Inhabitants, 1998-2002

	Standardised Rate per 100,000 Inhabitants			
	Men		Women	
Year	Rate	99% Confidence Interval	Rate	99% Confidence Interval
1997	388.03	367.06 409.00	281.21	263.82 298.60
1998	394.03	372.88 415.18	312.72	294.38 331.06
1999	344.46	324.68 364.24	271.32	254.22 288.42
2000	380.68	359.89 401.47	289.34	271.68 307.00

Source: Statistik Austria, Krebsregister

Processing: Joanneum Research, Institut für angewandte Statistik und Systemanalyse

Table 7.2.2: Age-Standardised Rates of New Malignant Growths (ICD 9: II, 140-208) per 100,000 Inhabitants by Age Group, 2002

	Standardised Rate per 100,000 Inhabitants			
	Men		Women	
Age Group	Rate	99% Confidence Interval	Rate	99% Confidence Interval
00-15	16.85	6.19 27.51	18.85	6.93 30.77
15-24	20.86	7.17 34.55	24.24	9.14 39.34
25-34	29.18	14.83 43.53	51.35	31.85 70.85
35-44	75.00	52.80 97.20	155.88	123.11 188.65
45-54	304.24	252.40 356.08	411.81	351.37 472.25
55-64	860.13	765.97 954.29	642.37	563.71 721.03
65-74	1.606.59	1,456.67 1,756.51	697.47	608.99 785.95
75-84	1.728.60	1,507.00 1,950.20	599.57	507.20 691.94
>=85	2.337.55	1,830.99 2,844.11	672.79	506.55 839.03

Source: Statistik Austria, Krebsregister

Processing: Joanneum Research, Institut für angewandte Statistik und Systemanalyse

Table 7.2.1.1: Age-Standardised Rates of New Malignant Growths of the Respiratory System (Trachea, Bronchial Tubes, Lungs) (ICD 9: II, 162) per 100,000 Inhabitants, 1998-2002

	Standardised Rate per 100,000 Inhabitants			
	Men		Women	
Year	Rate	99% Confidence Interval	Rate	99% Confidence Interval
1997	98.70	85.15 112.25	24.17	17.84 30.50
1998	104.11	90.14 118.08	21.85	15.86 27.84
1999	100.11	85.53 114.69	23.83	17.60 30.06
2000	103.17	88.49 117.85	32.00	24.34 39.66

Source: Statistik Austria, Krebsregister

Processing: Joanneum Research, Institut für angewandte Statistik und Systemanalyse

Table 7.2.1.2: Age-Standardised Rates of New Malignant Growths of the Respiratory System (Trachea, Bronchial Tubes, Lungs) (ICD 9: II, 162) per 100,000 Inhabitants by Age Group, 2002

Age Group	Standardised Rate per 100,000 Inhabitants			
	Men		Women	
	Rate	99% Confidence Interval	Rate	99% Confidence Interval
35-44	5.56	-0.48 11.60	3.81	-1.31 8.93
45-54	52.62	31.07 74.17	29.35	13.21 45.49
55-64	123.15	87.52 158.78	45.05	24.21 65.89
65-74	270.91	209.36 332.46	54.53	29.79 79.27
75-84	262.03	175.78 348.28	42.28	17.75 66.81
>=85	224.15	67.23 381.07	44.70	1.85 87.55

Source: Statistik Austria, Krebsregister

Processing: Joanneum Research, Institut für angewandte Statistik und Systemanalyse

Table 7.2.2.1: Age-Standardised Rates of New Malignant Growths of the Cervix (Cervix Uteri) (ICD 9: II, 180) per 100,000 Inhabitants, 1998-2002

Year	Standardised Rate per 100,000 Inhabitants			
	Men		Women	
	Rate	99% Confidence Interval	Rate	99% Confidence Interval
1997	0.00	0.00 0.00	18.05	13.08 23.02
1998	0.00	0.00 0.00	19.92	14.49 25.35
1999	0.00	0.00 0.00	13.03	8.74 17.32
2000	0.00	0.00 0.00	15.37	10.79 19.95

Source: Statistik Austria, Krebsregister

Processing: Joanneum Research, Institut für angewandte Statistik und Systemanalyse

Table 7.2.2.2: Age-Standardised Rates of New Malignant Growths of the Cervix (Cervix Uteri) (ICD 9: II, 180) per 100,000 Inhabitants by Age, 2002

Age Group	Standardised Rate per 100,000 Inhabitants			
	Men		Women	
	Rate	99% Confidence Interval	Rate	99% Confidence Interval
15-24	0.00	0.00 0.00	3.48	-4.63 11.59
25-34	0.00	0.00 0.00	6.27	-0.54 13.08
35-44	0.00	0.00 0.00	19.35	7.80 30.90
45-54	0.00	0.00 0.00	35.38	17.66 53.10
55-64	0.00	0.00 0.00	12.69	1.63 23.75
65-74	0.00	0.00 0.00	17.29	3.36 31.22
75-84	0.00	0.00 0.00	5.94	-3.25 15.13
>=85	0.00	0.00 0.00	7.06	-9.97 24.09

Source: Statistik Austria, Krebsregister

Processing: Joanneum Research, Institut für angewandte Statistik und Systemanalyse

Table 7.2.3.1: Age-Standardised Rates of New Malignant Growths of the Breast (ICD 9: II, 174 per 100,000 Inhabitants, 1998-2002)

	Standardised Rate per 100,000 Inhabitants				
	Men			Women	
Year	Rate	99% Confidence Interval		Rate	99% Confidence Interval
1997	0.00	0.00	0.00	116.45	103.31 129.59
1998	0.00	0.00	0.00	142.59	128.08 157.10
1999	0.00	0.00	0.00	114.90	101.89 127.91
2000	0.00	0.00	0.00	109.61	97.39 121.83

Source: Statistik Austria, Krebsregister

Processing: Joanneum Research, Institut für angewandte Statistik und Systemanalyse

Table 7.2.3.2: Age-Standardised Rates of New Malignant Growths of the Breast (ICD 9: II, 174 per 100,000 Inhabitants by Age Group, 2002)

Age Group	Standardised Rate per 100,000 Inhabitants				
	Men			Women	
	Rate	99% Confidence Interval		Rate	99% Confidence Interval
15-24	0.00	0.00	0.00	6.96	-4.51 18.43
25-34	0.00	0.00	0.00	10.19	1.50 18.88
35-44	0.00	0.00	0.00	68.01	46.37 89.65
45-54	0.00	0.00	0.00	152.26	115.52 189.00
55-64	0.00	0.00	0.00	226.55	179.87 273.23
65-74	0.00	0.00	0.00	186.28	140.58 231.98
75-84	0.00	0.00	0.00	123.77	81.82 165.72
>=85	0.00	0.00	0.00	115.27	46.48 184.06

Source: Statistik Austria, Krebsregister

Processing: Joanneum Research, Institut für angewandte Statistik und Systemanalyse

Table 7.3.1: Age-Standardised Rates of Cardiovascular Diseases (ICD 9: VII, 390-459) per 100,000 Inhabitants, 1998-2002

Year	Standardised Rate per 100,000 Inhabitants				
	Men			Women	
	Rate	99% Confidence Interval		Rate	99% Confidence Interval
1998	3,779.14	3,717.80	3,840.49	2,820.93	2,767.52 2,874.35
1999	3,710.98	3,650.04	3,771.93	2,826.80	2,773.26 2,880.34
2000	3,536.33	3,476.47	3,596.18	2,740.46	2,687.62 2,793.31
2001	3,488.37	3,427.97	3,548.77	2,629.97	2,577.73 2,682.20
2002	3,673.97	3,612.11	3,735.84	2,827.45	2,773.38 2,881.52

Source: Steiermärkischer Krankenanstaltenfinanzierungsfonds, Morbidity Basic Data Set

Processing: Joanneum Research, Institut für angewandte Statistik und Systemanalyse

Table 7.3.2: Age-Standardised Rates of Cardiovascular Diseases (ICD 9: VII, 390-459) per 100,000 Inhabitants by Age Group, 2002

Age Group	Standardised Rate per 100,000 Inhabitants					
	Men		Women			
	Rate	99% Confidence Interval		Rate	99% Confidence Interval	
00-14	179.43	144.06	214.79	81.50	56.87	106.13
15-24	413.32	352.28	474.36	399.54	338.10	460.99
25-34	573.28	507.54	639.02	794.06	714.99	873.13
35-44	1,163.81	1,076.11	1,251.51	1,222.39	1,130.82	1,313.95
45-54	4,027.41	3,843.68	4,211.13	3,213.46	3,049.05	3,377.87
55-64	7,514.48	7,248.05	7,780.91	5,490.77	5,268.31	5,713.22
65-74	12,376.62	11,985.75	12,767.48	7,137.07	6,860.71	7,413.43
75-84	15,108.40	14,527.18	15,689.61	6,652.72	6,363.54	6,941.89
>=85	22,567.60	21,175.48	23,959.71	8,017.34	7,472.13	8,562.55

Source: Steiermärkischer Krankenanstaltenfinanzierungsfonds, Morbidity Basic Data Set
Processing: Joanneum Research, Institut für angewandte Statistik und Systemanalyse

Table 7.4.1: Age-Standardised Rates of Diseases of the Musculoskeletal System (ICD 9: XIII) per 100,000 Inhabitants, 1998-2002

Year	Standardised Rate per 100,000 Inhabitants					
	Men		Women			
	Rate	99% Confidence Interval		Rate	99% Confidence Interval	
1998	2,208.30	2,159.03	2,257.57	2,370.65	2,321.11	2,420.19
1999	2,249.85	2,200.13	2,299.56	2,529.80	2,478.69	2,580.90
2000	2,133.69	2,085.25	2,182.13	2,449.13	2,398.77	2,499.49
2001	2,205.00	2,155.29	2,254.71	2,514.26	2,462.91	2,565.61
2002	2,436.67	2,384.48	2,488.85	2,767.07	2,713.30	2,820.84

Source: Steiermärkischer Krankenanstaltenfinanzierungsfonds, Morbidity Basic Data Set
Processing: Joanneum Research, Institut für angewandte Statistik und Systemanalyse

Table 7.4.2: Age-Standardised Rates of Diseases of the Musculoskeletal System (ICD 9: XIII) per 100,000 Inhabitants by Age Group, 2002

Age Group	Standardised Rate per 100,000 Inhabitants			
	Men		Women	
	Rate	99% Confidence Interval	Rate	99% Confidence Interval
00-14	593.64	529.02 658.27	558.94	494.55 623.33
15-24	1,308.05	1,199.96 1,416.14	894.90	803.16 986.64
25-34	1,305.76	1,206.91 1,404.60	1,206.74	1,109.47 1,304.01
35-44	1,879.82	1,768.77 1,990.86	1,861.23	1,748.64 1,973.82
45-54	4,257.46	4,068.62 4,446.31	5,020.56	4,817.09 5,224.03
55-64	5,002.06	4,782.06 5,222.07	6,032.12	5,799.88 6,264.37
65-74	4,098.47	3,863.23 4,333.72	5,511.24	5,266.36 5,756.12
75-84	3,444.82	3,148.69 3,740.96	2,978.97	2,781.74 3,176.19
>=85	2,701.41	2,161.50 3,241.32	1,334.15	1,103.81 1,564.50

Source: Steiermärkischer Krankenanstaltenfinanzierungsfonds, Morbidity Basic Data Set
Processing: Joanneum Research, Institut für angewandte Statistik und Systemanalyse

Table 7.5.1: Age-Standardised Rate of Fractures of the Neck of Femur (Hip Fractures) (ICD 9: XVII, 820) per 100,000 inhabitants, 1998-2002

Year	Standardised rate per 100,000 inhabitants			
	Men		Women	
	Rate	99% Confidence Interval	Rate	99% Confidence Interval
1998	65.32	56.72 73.92	117.77	106.55 129.00
1999	74.34	65.17 83.52	117.73	106.50 128.96
2000	64.97	56.39 73.54	106.64	95.95 117.34
2001	59.88	51.56 68.19	88.19	78.39 97.98
2002	74.11	64.87 83.36	11.66	106.34 128.97

Source: Steiermärkischer Krankenanstaltenfinanzierungsfonds, Morbidity Basic Data Set
Processing: Joanneum Research, Institut für angewandte Statistik und Systemanalyse

Table 7.5.2: Age Standardised Rate of Fractures of the Neck of Femur (Hip Fractures) (ICD 9: XVII, 820) per 100,000 Inhabitants by Age Group, 2002

Age Group	Standardised Rate per 100,000 Inhabitants					
	Men		Women			
	Rate	99% Confidence Interval		Rate	99% Confidence Interval	
00-14	2.40	-1.72	6.52	2.93	-1.75	7.61
15-24	8.04	-0.49	16.56	1.74	-2.32	5.81
25-34	3.50	-1.65	8.66	0.00	0.00	0.00
35-44	20.33	8.67	31.99	3.60	-1.40	8.60
45-54	63.22	39.68	86.75	79.53	53.24	105.82
55-64	68.86	42.35	95.38	123.52	89.22	157.82
65-74	221.99	166.12	277.85	253.58	199.60	307.57
75-84	442.71	334.92	550.50	475.40	395.59	555.21
>=85	1,411.71	1,018.83	1,804.58	1,093.54	884.75	1,302.34

Source: Steiermärkischer Krankenanstaltenfinanzierungsfonds, *Morbidity Basic Data Set*
 Processing: Joanneum Research, *Institut für angewandte Statistik und Systemanalyse*

Table 7.6.1: Age-Standardised Rate of Diseases of the Respiratory System (ICD 9: VIII, 490-496) per 100,000 Inhabitants, 1998-2002

Year	Standardised Rate per 100,000 Inhabitants					
	Men		Women			
	Rate	99% Confidence Interval		Rate	99% Confidence Interval	
1998	519.00	494.88	543.12	269.33	252.34	286.32
1999	504.72	480.92	528.51	251.64	235.21	268.08
2000	452.82	430.26	475.38	223.70	208.20	239.21
2001	455.27	432.90	477.64	246.97	230.89	263.06
2002	464.02	441.48	486.55	275.83	258.95	292.71

Source: Steiermärkischer Krankenanstaltenfinanzierungsfonds, *Morbidity Basic Data Set*
 Processing: Joanneum Research, *Institut für angewandte Statistik und Systemanalyse*

Table 7.6.2: Age-Standardised Rate of Diseases of the Respiratory System (ICD 9: VIII, 490-496) per 100,000 Inhabitants by Age Group, 2002

Age Group	Standardised Rate per 100,000 Inhabitants				
	Men		Women		
	Rate	99% Confidence Interval	Rate	99% Confidence Interval	
00-14	861.78	790.20 933.35	681.54	615.61	747.47
15-24	81.28	54.17 108.39	49.42	27.77	71.07
25-34	56.13	35.51 76.76	64.93	42.24	87.62
35-44	54.07	35.06 73.09	57.13	37.22	77.04
45-54	320.26	267.37 373.14	225.25	181.03	269.48
55-64	640.38	559.77 720.99	392.37	331.32	453.42
65-74	1,094.60	971.10 1,218.11	434.49	363.89	505.10
75-84	1,610.45	1,406.06 1,814.84	356.36	287.21	425.51
>=85	1,801.55	1,358.60 2,244.49	335.98	219.80	452.15

Source: Steiermärkischer Krankenanstaltenfinanzierungsfonds, *Morbidity Basic Data Set*
Processing: Joanneum Research, *Institut für angewandte Statistik und Systemanalyse*

Table 7.7.1 Age-Standardised Rate of Diabetes (Type I und II) (ICD 9: III, 25) per 100,000 Inhabitants, 1998-2002

Year	Standardised Rate per 100,000 inhabitants				
	Men		Women		
	Rate	99% Confidence Interval	Rate	99% Confidence Interval	
1998	415.42	393.80 437.03	394.36	373.84	414.87
1999	434.36	412.26 456.47	390.13	369.71	410.54
2000	433.75	411.65 455.84	358.36	338.77	377.94
2001	408.66	387.00 430.32	326.62	307.79	345.45
2002	333.46	313.87 353.04	250.35	233.85	266.85

Source: Steiermärkischer Krankenanstaltenfinanzierungsfonds, *Morbidity Basic Data Set*
Processing: Joanneum Research, *Institut für angewandte Statistik und Systemanalyse*

Table 7.7.2: Age-Standardised Rate of Diabetes (Type I und II) (ICD 9: III, 250) per 100,000 Inhabitants by Age Group, 2002

Age Group	Standardised Rate per 100,000 Inhabitants				
	Men			Women	
	Rate	99% Confidence Interval		Rate	99% Confidence Interval
00-14	38.21	21.77	54.65	40.79	23.33 58.25
15-24	66.42	41.91	90.93	53.87	31.27 76.47
25-34	68.59	45.80	91.39	46.03	26.92 65.14
35-44	123.37	94.67	152.08	89.34	64.44 114.24
45-54	534.24	466.03	602.46	254.18	207.22 301.15
55-64	734.34	648.06	820.63	487.13	419.14 555.12
65-74	983.91	866.75	1,101.07	736.31	644.54 828.08
75-84	996.14	834.89	1,157.39	591.78	502.77 680.79
>=85	787.32	493.00	1,081.65	446.46	312.61 580.31

Source: Steiermärkischer Krankenanstaltenfinanzierungsfonds, *Mobidity Basic Data Set*
Processing: Joanneum Research, *Institut für angewandte Statistik und Systemanalyse*

Table 7.9.1: Percentage of Diabetes Patients Receiving Examinations, by Sex, 1998-2003

	Men (n=7,145)	Women (n=8,345)	
Foot Exams	81.6%	79.3%	P<0.001
Eye Exams	64.8%	63.5%	P>0.089
Blood Pressure Measurements	97.3%	97.1%	P=0.612
Cholesterol Measurements	95.2%	95.5%	P=0.546
Blood Sugar Measurements	92.0%	91.4%	P=0.197

Source: FQSDÖ
Processing: FQSDÖ

Table 7.9.2.1: Percentage of Diabetes Patients Who Report Carrying Out Self-Examinations, by Sex, 1998-2003

	Men (n=7,145)	Women (n=8,345)	
At least one blood sugar measurement per week	52.2%	45.1%	P<0.001
At least one urine sugar measurement per week	26.5%	26.7%	P=0.811

Source: FQSDÖ
Calculation: FQSDÖ

Table 7.9.2.2: Average Number of Measurements per Week, by Sex, 1998-2003

	Men (n=7,145)	Women (n=8,345)	
Blood sugar measurements per week	9.0	7.4	P<0.001
Urine sugar measurements per week	1.3	1.3	P=0.708

Source: FQSDÖ
Calculation: FQSDÖ

Table 8.1.1.1: Utilisation of Blood Pressure Checkups by Sex and Time Interval, 1999

Sex	Utilisation in Percent (99% Confidence Interval)				
	<1 Year	1-3 Years	>3 Years	Never	Total
Men (n=2,333)	71.4% (69.0 73.8)	19.9% (17.8 22.0)	6.4% (5.1 7.7)	2.4% (1.6 3.2)	100.0%
Women (n=2,662)	78.9% (76.9 81.0)	15.1% (13.3 16.9)	4.6% (3.5 5.6)	1.5% (0.9 2.1)	100.0%

Source: Amt der steiermärkischen Landesregierung, Fachabteilung 8B-Gesundheitswesen, Steirische Gesundheitsbefragung 1999
Processing: Joanneum Research, Institut für angewandte Statistik und Systemanalyse

Table 8.1.1.2: Utilisation of Blood Pressure Checkups by Age Group and Time Interval, 1999

Age Group	Time Interval (Years)	Number	Percentage	99% Confidence Interval	
15-24	<1	364	60.47%	55.33	65.60
25-34	<1	450	64.10%	59.44	68.77
35-44	<1	724	71.05%	67.39	74.71
45-54	<1	617	74.07%	70.16	77.98
55-64	<1	625	83.78%	80.30	87.26
65-74	<1	530	88.04%	84.63	91.45
75-84	<1	348	92.31%	88.77	95.84
>=85	<1	105	94.59%	89.07	100.00
15-24	1-3	154	25.58%	21.00	30.16
25-34	1-3	184	26.21%	21.94	30.49
35-44	1-3	201	19.73%	16.51	22.94
45-54	1-3	160	19.21%	15.69	22.72
55-64	1-3	94	12.60%	9.47	15.73
65-74	1-3	44	7.31%	4.58	10.04
75-84	1-3	22	5.84%	2.73	8.95
>=85	1-3	5	4.50%	0.00	9.58
15-24	>3	26	4.32%	2.18	6.45
25-34	>3	54	7.69%	5.10	10.28
35-44	>3	85	8.34%	6.11	10.57
45-54	>3	51	6.12%	3.98	8.26
55-64	>3	22	2.95%	1.35	4.54
65-74	>3	25	4.15%	2.06	6.25
75-84	>3	6	1.59%	0.00	3.25
>=85	>3	1	0.90%	0.00	3.21
15-24	never	58	9.63%	6.54	12.73
25-34	never	14	1.99%	0.64	3.35
35-44	never	9	0.88%	0.13	1.64
45-54	never	5	0.60%	0.00	1.29
55-64	never	5	0.67%	0.00	1.44
65-74	never	3	0.50%	0.00	1.24
75-84	never	1	0.27%	0.00	0.95
>=85	never	0	0.00%	0.00	0.00

Source: Amt der steiermärkischen Landesregierung, Fachabteilung 8B-Gesundheitswesen, Steirische Gesundheitsbefragung 1999

Processing: Joanneum Research, Institut für angewandte Statistik und Systemanalyse

Table 8.1.1.3: Utilisation of Blood Pressure Checkups by Educational Level and Time Interval, 1999

Educational Level	Time Interval (Years)	Number	Percentage	99% Confidence Interval
Compulsory School	<1	229	83.57%	77.81 89.34
	1-3	31	11.31%	6.38 16.24
	>3	14	5.10%	1.68 8.54
	never	0	0.00%	0.00 0.00
Apprenticeship	<1	117	74.52%	65.56 83.48
	1-3	29	18.47%	10.49 26.45
	>3	9	5.73%	0.95 10.51
	never	2	1.27%	0.00 3.58
Technical, Vocational School	<1	143	73.33%	65.18 81.49
	1-3	38	19.48%	12.18 26.79
	>3	12	6.15%	1.72 10.59
	never	2	1.02%	0.00 2.88
Secondary School (university preparatory)	<1	64	74.41%	62.30 86.54
	1-3	15	17.44%	6.90 27.98
	>3	4	4.65%	0.00 10.50
	never	3	3.48%	0.00 8.58
University	<1	26	70.27%	50.92 89.63
	1-3	9	24.32%	6.16 42.49
	>3	1	2.70%	0.00 9.57
	never	1	2.70%	0.00 9.57

Source: Amt der steiermärkischen Landesregierung, Fachabteilung 8B-Gesundheitswesen, „Steirische Gesundheitsbefragung 1999“

Processing: Joanneum Research, Institut für angewandte Statistik und Systemanalyse

Table 8.1.2.1: Utilisation of Cholesterol Checkups by Sex and Time Interval, 1999

Sex	Time Interval (Years)	Number	Percentage	99% Confidence Interval
Men	<1	1,129	51.24%	48.51 53.99
	1-3	616	27.96%	25.50 30.42
	>3	221	10.03%	8.38 11.68
	never	237	10.75%	9.06 12.46
Women	<1	1,410	57.22%	54.66 59.79
	1-3	575	23.33%	21.14 25.53
	>3	222	9.00%	7.52 10.50
	never	257	10.43%	8.84 12.02

Source: Amt der steiermärkischen Landesregierung, Fachabteilung 8B-Gesundheitswesen, „Steirische Gesundheitsbefragung 1999“

Processing: Joanneum Research, Institut für angewandte Statistik und Systemanalyse

Table 8.1.2.2: Utilisation of Cholesterol Checkups by Age Group and Time Interval, 1999

Age Group	Time Interval (Years)	Number	Percentage	99% Confidence Interval
15-24	<1	164	30.88%	25.72 36.05
	1-3	124	23.35%	18.62 28.08
	>3	34	6.40%	3.67 9.14
	never	209	39.35%	33.90 44.82
25-34	<1	252	39.93%	34.91 44.96
	1-3	202	32.01%	27.23 36.80
	>3	74	11.72%	8.43 15.03
	never	103	16.32%	12.53 20.11
35-44	<1	454	47.58%	43.42 51.75
	1-3	294	30.81%	26.97 34.67
	>3	128	13.41%	10.57 16.26
	never	78	8.17%	5.89 10.46
45-54	<1	443	55.79%	51.25 60.33
	1-3	213	26.82%	22.78 30.88
	>3	91	11.46%	8.55 14.37
	never	47	5.91%	3.76 8.08
55-64	<1	478	67.04%	62.51 71.58
	1-3	156	21.87%	17.89 25.87
	>3	55	7.71%	5.14 10.29
	never	24	3.36%	1.63 5.11
65-74	<1	404	69.77%	64.86 74.69
	1-3	123	21.24%	16.86 25.62
	>3	38	6.56%	3.91 9.21
	never	14	2.41%	0.77 4.06
75-84	<1	270	74.79%	68.91 80.68
	1-3	56	15.51%	10.60 20.42
	>3	22	6.09%	2.85 9.34
	never	13	3.60%	1.08 6.13
≥85	<1	72	71.28%	59.69 82.88
	1-3	23	22.77%	12.02 33.52
	>3	1	0.99%	0.00 3.53
	never	5	4.95%	0.00 10.51

Source: Amt der steiermärkischen Landesregierung, Fachabteilung 8B-Gesundheitswesen,
Steirische Gesundheitsbefragung 1999
Processing: Joanneum Research, Institut für angewandte Statistik und Systemanalyse

Table 8.1.2.3: Utilisation of Cholesterol Checkups by Educational Level and Time Interval, 1999

Educational Level	Time Interval (Years)	Number	Percentage	99% Confidence Interval	
Compulsory School	<1	172	68.52%	60.98	76.08
	1-3	49	19.52%	13.08	25.97
	>3	18	7.17%	2.98	11.37
	never	12	4.78%	1.31	8.25
Apprenticeship	<1	89	60.13%	49.77	70.50
	1-3	32	21.62%	12.91	30.34
	>3	15	10.13%	3.75	16.53
	never	12	8.10%	2.33	13.89
Technical, Vocational School	<1	83	44.62%	35.23	54.01
	1-3	53	28.49%	19.97	37.02
	>3	21	11.29%	5.31	17.27
	never	29	15.59%	8.74	22.44
Secondary School (university preparatory)	<1	37	48.68%	33.92	63.45
	1-3	22	28.94%	15.55	42.35
	>3	6	7.89%	0.00	15.86
	never	11	14.47%	4.08	24.87
University	<1	20	57.14%	35.60	78.69
	1-3	5	14.28%	0.00	29.52
	>3	5	14.28%	0.00	29.52
	never	5	14.28%	0.00	29.52

Source: Amt der steiermärkischen Landesregierung, Fachabteilung 8B-Gesundheitswesen, Steirische Gesundheitsbefragung 1999

Processing: Joanneum Research, Institut für angewandte Statistik und Systemanalyse

Table 8.2.1.1: Utilisation of Mammogram Screening by Age Group, 2000

Age Group	Mammogram	Number	Percentage	99 % Confidence Interval
15-24	yes	13	23.21%	8.68 37.75
15-24	no	43	76.78%	62.25 91.32
25-34	yes	37	30.57%	19.79 41.37
25-34	no	84	69.42%	58.63 80.21
35-44	yes	165	74.32%	66.77 81.88
35-44	No	57	25.67%	18.12 33.23
45-54	yes	115	85.18%	77.31 93.06
45-54	no	20	14.81%	6.94 22.69
55-64	yes	72	80.89%	70.17 91.63
55-64	no	17	19.10%	8.37 29.83
65-74	yes	74	74.00%	62.70 85.30
65-74	no	26	26.00%	14.70 37.30
75-84	yes	50	54.94%	41.51 68.38
75-84	no	41	45.05%	31.62 58.49
>=85	yes	9	40.90%	13.91 67.91
>=85	no	13	59.09%	32.09 86.09

Source: Amt der steiermärkischen Landesregierung, Fachabteilung 8B-Gesundheitswesen, Steirische Telefonumfrage 2000

Processing: Joanneum Research, Institut für angewandte Statistik und Systemanalyse

Table 8.2.1.2: Utilisation of Mammogram Screening by Recommended Age Group, 2000

Utilisation of Mammogram Screening	Age Group							
	41-50		51-70		Other		Total	
	Number	Percentage	Number	Percentage	Number	Percentage	Number	Percentage
yes (n=535)	145	85.8%	154	80.2%	236	49.5%	535	63.8%
no (n=301)	23	13.6%	38	19.8%	240	50.3%	301	35.9%
don't know (n=2)	1	0.6%	0	0.0%	1	0.2%	2	0.2%
Total (N=838)	169	100.0%	192	100.0%	477	100.0%	838	100.0%

Source: Amt der steiermärkischen Landesregierung, Fachabteilung 8B-Gesundheitswesen, Steirische Telefonumfrage 2000

Processing: By the author

Table 8.2.1.3: Utilisation of Mammogram Screening by Age Group and Time Interval, 2000

Age Group	Time Interval (Years)	Number	Percentage	99% Confidence Interval
15-24	<1	3	25.00%	0.00 57.20
15-24	1-3	7	58.33%	21.67 94.99
15-24	>3	2	16.66%	0.00 44.38
25-34	<1	10	27.02%	8.22 45.83
25-34	1-3	21	56.75%	35.78 77.74
25-34	>3	6	16.21%	0.61 31.83
35-44	<1	81	49.09%	39.07 59.12
35-44	1-3	67	40.60%	30.76 50.45
35-44	>3	17	10.30%	4.21 16.40
45-54	<1	73	63.47%	51.91 75.04
45-54	1-3	32	27.82%	17.06 38.59
45-54	>3	10	8.69%	1.93 15.46
55-64	<1	48	66.66%	52.36 80.98
55-64	1-3	21	29.16%	15.37 42.96
55-64	>3	3	4.16%	0.00 10.23
65-74	<1	34	45.94%	31.02 60.87
65-74	1-3	25	33.78%	19.62 47.95
65-74	>3	15	20.27%	8.23 32.31
75-84	<1	19	38.00%	20.32 55.68
75-84	1-3	14	28.00%	11.64 44.36
75-84	>3	17	34.00%	16.74 51.26
>=85	<1	2	22.22%	0.00 57.92
>=85	1-3	3	33.33%	0.00 73.81
>=85	>3	4	44.44%	1.78 87.11

Source: Amt der steiermärkischen Landesregierung, Fachabteilung 8B Gesundheitswesen, Steirische Telefonumfrage 2000

Processing: Joanneum Research, Institut für angewandte Statistik und Systemanalyse

Table 8.2.1.4: Utilisation of Mammogram Screening by Recommended Age Group and Time Interval, 2000

Time between Mammograms	Age Group							
	41-50 years		51-70 years		Other		Total	
	Number	Percentage	Number	Percentage	Number	Percentage	Number	Percentage
<12 months	91	62.7%	93	60.4%	86	36.4%	270	50.5%
1-3 years	43	29.7%	45	29.2%	102	43.2%	190	35.5%
>3 years	11	7.6%	16	10.4%	47	19.9%	74	13.8%
not specified	0	0.0%	0	0.0%	1	0.4%	1	0.2%
Total	145	100.0%	154	100.0%	236	100.0%	535	100.0%

Source: Amt der steiermärkischen Landesregierung, Fachabteilung 8B-Gesundheitswesen, Steirische Telefonumfrage 2000
Processing: By the author

Table 8.2.1.5: Utilisation of Mammogram Screening by Educational Level, 2000

Highest Level of Completed Education	Utilisation in Percent (99% Confidence Interval)	
	yes	no
Compulsory School (n=306)	68.6% (61.8 75.5)	31.4% (24.5 38.2)
Apprenticeship (n=176)	67.6% (58.5 76.7)	32.4% (23.3 41.5)
Technical, Vocational School (n=217)	62.2% (53.7 70.7)	37.8% (29.3 46.3)
Secondary School (university preparatory) (n=95)	49.5% (36.3 62.7)	50.5% (37.3 63.7)
University (n=41)	56.1% (36.1 76.1)	43.9% (23.9 63.9)
Total (N=835)	64.0%	36.0%

Source: Amt der steiermärkischen Landesregierung, Fachabteilung 8B-Gesundheitswesen, Steirische Telefonumfrage 2000
Processing: Joanneum Research, Institut für angewandte Statistik und Systemanalyse

Table 8.2.1.6: Utilisation of Breast Examination by Educational Level, 2000

Highest Level of Completed Education	Breast Examination	Number	Percentage	99% Confidence Interval	
Compulsory School	yes	227	73.94%	67.49	80.39
	no	80	26.05%	19.61	32.51
Apprenticeship	yes	152	86.36%	79.70	93.03
	no	24	13.63%	6.97	20.30
Technical, Vocational school	yes	185	84.86%	78.61	91.12
	no	33	15.13%	8.88	21.39
Secondary School (university preparatory)	yes	76	80.00%	69.43	90.57
	no	19	20.00%	9.43	30.57
University	yes	31	75.60%	58.33	92.88
	no	10	24.39%	7.12	41.67

Source: Amt der steiermärkischen Landesregierung, Fachabteilung 8B-Gesundheitswesen, Steirische Telefonumfrage 2000

Processing: Joanneum Research, Institut für angewandte Statistik und Systemanalyse

Table 8.2.1.7: Utilisation of Mammogram Screening by Educational Level and Type of Service Provider, 2000

Educational Level	Type of Service Provider in Percent (99% Confidence Interval)		
	Outpatient Clinic	Ob/Gyn Specialist	Hospitals
Compulsory School (n=210)	4.8% (1.0 8.6)	80.0% (72.9 87.1)	15.2% (8.9 21.6)
Apprenticeship (n=119)	6.7% (0.81 2.64)	82.4% (73.4 91.4)	10.9% (3.6 18.3)
Technical, Vocational School (n=135)	5.9% (0.7 11.2)	85.9% (78.2 93.6)	8.2% (2.1 14.2)
Secondary School (university preparatory) (n=47)	6.4% (0.0 15.6)	83.0% (68.9 97.1)	10.6% (0.0 22.2)
University (n=23)	4.4% (0.0 15.3)	95.7% (84.7 100.0)	0.0% (0.0 0.0)
Total (N=534)	5.6%	83.0%	11.4%

Source: Amt der steiermärkischen Landesregierung, Fachabteilung 8B-Gesundheitswesen, Steirische Telefonumfrage 2000
Processing: Joanneum Research, Institut für angewandte Statistik und Systemanalyse

Table 8.2.1.8: Utilisation of Mammogram Screening by District of Residence and Provider Location, 2000

District of Residence	Provider Location	Number	Percentage	99% Confidence Interval	
Bruck a.d. Mur	Graz	1	10.00%	0.00	34.44
Bruck a.d. Mur	Community of Residence	1	10.00%	0.00	34.44
Bruck a.d. Mur	District of Residence	8	80.00%	47.42	100.00
Bruck a.d. Mur	Other District	0	0.00%	0.00	0.00
Bruck a.d. Mur	Other Federal State	0	0.00%	0.00	0.00
Deutschlandsberg	Graz	8	25.00%	5.28	44.72
Deutschlandsberg	Community of Residence	1	3.12%	0.00	11.05
Deutschlandsberg	District of Residence	23	71.87%	51.40	92.35
Deutschlandsberg	Other District	0	0.00%	0.00	0.00
Deutschlandsberg	Other Federal State	0	0.00%	0.00	0.00
Feldbach	Graz	6	11.11%	0.10	22.13
Feldbach	Community of Residence	2	3.70%	0.00	10.32
Feldbach	District of Residence	46	85.18%	72.73	97.64
Feldbach	Other District	0	0.00%	0.00	0.00
Feldbach	Other federal state	0	0.00%	0.00	0.00
Fürstenfeld	Graz	3	14.28%	0.00	33.95
Fürstenfeld	Community of Residence	3	14.28%	0.00	33.95
Fürstenfeld	District of Residence	12	57.14%	29.33	84.96
Fürstenfeld	Other District	3	14.28%	0.00	33.95
Fürstenfeld	Other Federal State	0	0.00%	0.00	0.00
Graz	Graz	49	89.09%	78.26	99.92
Graz	Community of Residence	1	1.81%	0.00	6.46
Graz	District of Residence	5	9.09%	0.00	19.08
Graz	Other District	0	0.00%	0.00	0.00
Graz	Other Federal State	0	0.00%	0.00	0.00
Graz Periphery	Graz	34	80.95%	65.35	96.56
Graz Periphery	Community of Residence	0	0.00%	0.00	0.00
Graz Periphery	District of Residence	3	7.14%	0.00	17.38
Graz Periphery	Other District	5	11.90%	0.00	24.78
Graz Periphery	Other Federal State	0	0.00%	0.00	0.00
Hartberg	Graz	7	16.27%	1.78	30.78
Hartberg	Community of Residence	2	4.65%	0.00	12.92
Hartberg	District of Residence	23	53.48%	33.90	73.08
Hartberg	Other District	6	13.95%	0.34	27.56
Hartberg	Other Federal State	5	11.62%	0.00	24.22

Table 8.2.1.8/Continuation: Utilisation of Mammogram Screening by District of Residence and Provider Location, 2000

District of Residence	Provider Location	Number	Percentage	99% Confidence Interval	
Judenburg	Graz	0	0.00%	0.00	0.00
Judenburg	Community of Residence	0	0.00%	0.00	0.00
Judenburg	District of Residence	4	100.00%	100.00	100.00
Judenburg	Other District	0	0.00%	0.00	0.00
Judenburg	Other Federal State	0	0.00%	0.00	0.00
Knittelfeld	Graz	0	0.00%	0.00	0.00
Knittelfeld	Community of Residence	3	21.42%	0.00	49.68
Knittelfeld	District of Residence	11	78.57%	50.32	100.00
Knittelfeld	Other District	0	0.00%	0.00	0.00
Knittelfeld	Other Federal State	0	0.00%	0.00	0.00
Leibnitz	Graz	6	15.38%	0.50	30.27
Leibnitz	Community of Residence	2	5.12%	0.00	14.23
Leibnitz	District of Residence	29	74.35%	56.35	92.37
Leibnitz	Other District	2	5.12%	0.00	14.23
Leibnitz	Other Federal State	0	0.00%	0.00	0.00
Leoben	Graz	3	8.57%	0.00	20.76
Leoben	Community of Residence	1	2.85%	0.00	10.11
Leoben	District of Residence	28	80.00%	62.58	97.42
Leoben	Other District	1	2.85%	0.00	10.11
Leoben	Other Federal State	2	5.71%	0.00	15.82
Liezen	Graz	5	11.90%	0.00	24.78
Liezen	Community of Residence	0	0.00%	0.00	0.00
Liezen	District of Residence	31	73.80%	56.33	91.28
Liezen	Other District	1	2.38%	0.00	8.44
Liezen	Other Federal State	5	11.90%	0.00	24.78
Murau	Graz	0	0.00%	0.00	0.00
Murau	Community of Residence	0	0.00%	0.00	0.00
Murau	District of Residence	6	40.00%	7.42	72.58
Murau	Other District	3	20.00%	0.00	46.60
Murau	Other Federal State	6	40.00%	7.42	72.58
Mürzzuschlag	Graz	2	9.09%	0.00	24.88
Mürzzuschlag	Community of Residence	6	27.27%	2.81	51.73
Mürzzuschlag	District of Residence	9	40.90%	13.91	67.91
Mürzzuschlag	Other District	4	18.18%	0.00	39.36
Mürzzuschlag	Other Federal State	1	4.54%	0.00	15.98

Table 8.2.1.8/Continuation: Utilisation of Mammogram Screening by District of Residence and Provider Location, 2000

District of Residence	Provider Location	Number	Percentage	99% Confidence Interval	
Radkersburg	Graz	1	9.09%	0.00	31.42
Radkersburg	Community of Residence	1	9.09%	0.00	31.42
Radkersburg	District of Residence	7	63.63%	26.28	100.00
Radkersburg	Other District	2	18.18%	0.00	48.14
Radkersburg	Other Federal state	0	0.00%	0.00	0.00
Voitsberg	Graz	13	30.95%	12.58	49.33
Voitsberg	Community of Residence	3	7.14%	0.00	17.38
Voitsberg	District of Residence	25	59.52%	40.01	79.03
Voitsberg	Other District	1	2.38%	0.00	8.44
Voitsberg	Other Federal State	0	0.00%	0.00	0.00
Weiz	Graz	21	40.38%	22.86	57.91
Weiz	Community of Residence	5	9.61%	0.00	20.15
Weiz	District of Residence	21	40.38%	22.86	57.91
Weiz	Other District	5	9.61%	0.00	20.15
Weiz	Other Federal State	0	0.00%	0.00	0.00

Source: Amt der steiermärkischen Landesregierung, Fachabteilung 8B-Gesundheitswesen, Steirische Telefonumfrage 2000

Processing: Joanneum Research, Institut für angewandte Statistik und Systemanalyse

Table 8.2.1.9: Utilisation of Mammogram Screening by Level of Trust in Conventional Medicine, 2000

Level of Trust	Mammogram Utilisation	Number	Percentage	99% Confidence Interval	
Complete Trust	yes	217	63.63%	56.93	70.35
Complete Trust	no	124	36.36%	29.65	43.07
A Great Deal of Trust	yes	267	66.08%	60.02	72.16
A Great Deal of Trust	no	137	33.91%	27.84	39.98
Limited Trust	yes	46	56.09%	41.98	70.21
Limited Trust	no	36	43.90%	29.79	58.02
No trust	yes	2	40.00%	0.00	96.43
No trust	no	3	60.00%	3.57	100.00

Source: Amt der steiermärkischen Landesregierung, Fachabteilung 8B-Gesundheitswesen, Steirische Telefonumfrage 2000

Processing: Joanneum Research, Institut für angewandte Statistik und Systemanalyse

Table 8.2.1.10: Utilisation of Breast Examination by Level of Trust in Conventional Medicine, 2000

Level of Trust	Breast Examination	Number	Percentage	99% Confidence Interval
Complete Trust	yes	279	81.34%	75.92 86.76
Complete Trust	no	64	18.65%	13.24 24.08
A Great Deal of Trust	yes	326	80.69%	75.63 85.75
A Great Deal of Trust	no	78	19.30%	14.25 24.37
Limited Trust	yes	64	78.04%	66.27 89.82
Limited Trust	no	18	21.95%	10.18 33.73
No trust	yes	1	20.00%	0.00 66.08
No trust	no	4	80.00%	33.92 100.00

Source: Amt der steiermärkischen Landesregierung, Fachabteilung 8B-Gesundheitswesen, Steirische Telefonumfrage 2000

Processing: Joanneum Research, Institut für angewandte Statistik und Systemanalyse

Table 8.2.2.1: Utilisation of the Pap Test by Educational Level, 2000

Educational Level	Pap Test	Number	Percentage	99% Confidence Interval
Compulsory School	yes	249	83.00%	77.41 88.59
	no	51	17.00%	11.41 22.59
Apprenticeship	yes	169	96.57%	93.03 100.00
	no	6	3.42%	0.00 6.97
Technical, Vocational School	yes	198	90.82%	85.79 95.86
	no	20	9.17%	4.14 14.21
Secondary School (university preparatory)	yes	81	86.17%	77.00 95.34
	no	13	13.82%	4.66 23.00
University	yes	35	85.36%	71.15 99.58
	no	6	14.63%	0.42 28.85

Source: Amt der steiermärkischen Landesregierung, Fachabteilung 8B-Gesundheitswesen, Steirische Telefonumfrage 2000

Processing: Joanneum Research, Institut für angewandte Statistik und Systemanalyse

Table 8.2.2.2: Utilisation of the Pap Test by Recommended Age Group, 2000

Utilisation of the Pap Test	21-65 years		Other Age Groups		Total	
	Number	%	Number	%	Number	%
Yes	576	92.9%	157	72.0%	733	87.5%
No	42	6.8%	54	24.8%	96	11.5%
Don't Know	2	0.3%	7	3.2%	9	1.0%
Total	620	100.0%	218	100.0%	838	100.0%

Source: Amt der steiermärkischen Landesregierung, Fachabteilung 8B-Gesundheitswesen, Steirische Telefonumfrage 2000

Processing: by the author

Table 8.2.2.3: Utilisation of the Pap Test by Age Group, 2000

Age Group	Utilisation of the Pap Test							
	Yes		No		Don't Know		Total	
	n	%	no	%	n	%	n	%
15-24	46	82.14	10	17.86	0	0.00	56	100.00
25-34	109	90.08	11	9.09	1	0.83	121	100.00
35-44	211	94.62	11	4.93	1	0.45	223	100.00
45-54	130	96.30	5	3.70	0	0.00	135	100.00
55-64	82	92.13	7	7.87	0	0.00	89	100.00
65-74	83	83.00	16	16.00	1	1.00	100	100.00
75-84	59	64.84	31	34.07	1	1.10	91	100.00
>=85	13	56.52	5	21.74	5	21.74	23	100.00
Total	733	87.47	96	11.46	9	1.07	838	100.00

Source: Amt der steiermärkischen Landesregierung, Fachabteilung 8B-Gesundheitswesen, Steirische Telefonumfrage 2000

Processing: by the author

Table 8.2.2.4: Result of the Ordinal Regression of Utilisation of the Pap Test by Age Group, 2000

Age Group	Probability
15-24	82.87
25-34	82.87
35-44	18.85
45-54	11.10
55-64	5.73
65-74	5.73
>=75	1.00

Source: Amt der steiermärkischen Landesregierung, Fachabteilung 8B-Gesundheitswesen, Steirische Telefonumfrage 2000

Processing: Joanneum Research,
Institut für angewandte Statistik und
Systemanalyse

Table 8.2.2.5: Utilisation of the Pap Test by Age Group and Time Interval, 2000

Age Group	Time Interval in Years	Number	Percentage	99% Confidence Interval	
15-24	<3	45	97.82%	92.29	100.00
	3-5	1	2.17%	0.00	7.71
	>5	0	0.00%	0.00	0.00
25-34	<3	107	98.16%	94.85	100.00
	3-5	1	0.91%	0.00	3.27
	>5	1	0.91%	0.00	3.27
35-44	<3	194	91.94%	87.12	96.77
	3-5	11	5.21%	1.27	9.16
	>5	6	2.84%	0.00	5.79
45-54	<3	113	86.92%	79.31	94.54
	3-5	11	8.46%	2.17	14.75
	>5	6	4.61%	0.00	9.36
55-64	<3	69	84.14%	73.76	94.54
	3-5	4	4.87%	0.00	11.01
	>5	9	10.97%	2.08	19.87
65-74	<3	60	72.28%	59.63	84.94
	3-5	10	12.04%	2.84	21.25
	>5	13	15.66%	5.39	25.94
75-84	<3	23	39.65%	23.11	56.20
	3-5	9	15.51%	3.27	27.76
	>5	26	44.82%	28.01	61.65
≥85	<3	6	46.15%	10.54	81.77
	3-5	0	0.00%	0.00	0.00
	>5	7	53.84%	18.23	89.46

Source: Amt der steiermärkischen Landesregierung, Fachabteilung 8B-Gesundheitswesen, Steirische Telefonumfrage 2000

Processing: Joanneum Research, Institut für angewandte Statistik und Systemanalyse

Table 8.2.2.6: Utilisation of the Pap Test by Recommended Age Group and Time Interval, 2000

Pap Test Time Interval	Age Group					
	21-65 years		Other Age Groups		Total	
	number	%	number	%	number	%
<3 years	524	91.0%	93	59.2%	617	84.2%
3-5 years	28	4.9%	19	12.1%	47	6.4%
>5 years	24	4.2%	44	28.0%	68	9.3%
not specified	0	0.0%	1	0.6%	1	0.1%
Total	576	100.0%	157	100.0%	733	100.0%

Source: Amt der steiermärkischen Landesregierung, Fachabteilung 8B-Gesundheitswesen, Steirische Telefonumfrage 2000
Processing: by the author

Table 8.2.2.7: Utilisation of the Pap Test by Level of Education and Type of Service Provider, 2000

Educational Level	Type of Service Provider in Percent (99% confidence interval)			
	Outpatient Clinic	Ob/Gyn Specialist	General Practitioner	Hospital
Compulsory School (n=249)	2.01% (0.0 4.3)	80.7% (74.3 87.2)	2.8% (0.1 5.5)	14.5% (8.7 20.2)
Apprenticeship (n=169)	0.6% (0.0 2.1)	91.1% (85.5 96.8)	2.4% (0.0 5.4)	5.9% (1.2 10.6)
Technical, Vocational School (n=198)	1.5% (0.0 3.8)	91.4% (86.3 96.5)	2.5% (0.0 5.4)	4.6% (0.7 8.4)
Secondary School (university preparatory) (n=81)	0.0% (0.0 0.0)	97.5% (93.1 100.0)	1.2% (0.0 4.4)	1.2% (0.0 4.4)
University (n=35)	0.0% (0.0 0.0)	100.0% (100.0 100.0)	0.0% (0.0 0.0)	0.0% (0.0 0.0)
Total (N=732)	1.3%	88.8%	2.3%	7.7%

Source: Amt der steiermärkischen Landesregierung, Fachabteilung 8B-Gesundheitswesen, Steirische Telefonumfrage 2000
Processing: Joanneum Research, Institut für angewandte Statistik und Systemanalyse

Table 8.2.2.8: Utilisation of the Pap Test by Level of Trust in Conventional Medicine, 2000

Level of Trust	Pap Test	Number	Percentage	99% Confidence Interval
Complete Trust	yes	308	90.58%	86.51 94.67
	no	32	9.41%	5.33 13.49
A Great Deal of Trust	yes	349	87.68%	83.45 91.93
	no	49	12.31%	8.07 16.55
Limited Trust	yes	70	85.36%	75.31 95.42
	no	12	14.63%	4.58 24.69
No Trust	yes	3	60.00%	3.57 100.00
	no	2	40.00%	0.00 96.43

Source: Amt der steiermärkischen Landesregierung, Fachabteilung 8B-Gesundheitswesen, Steirische Telefonumfrage 2000
Processing: Joanneum Research, Institut für angewandte Statistik und Systemanalyse